

Pre- Bid Meeting Held on 16.06.2015. Following is the Pre-Bid clarification

1.

Item No	Item Name	Existing Specification		New Specification	
1	Laser Printer - Simple Print Facility (Black and White)	Print speed	Up to 15 ppm letter	Print speed	Up to 15 ppm letter
		First page out	less than 10 seconds	First page out	Less than 10 seconds
		Resolutions	1200 dpi effective output quality (600 by 600 dpi)	Resolutions	1200 dpi effective output quality (600 by 600 dpi)
		Processor	234 mhz	Processor	234 mhz
		Memory	2 mb ram	Memory	2 mb ram
		Duty cycle	5000 pages per month	Duty cycle	5000 pages per month
		Media Input	150 sheet input tray,single sheet Specialty paper input slot	Media Input	150 sheet input tray,single sheet Specialty paper input slot
		Out put Sizes	100 sheet face down bin Main tray: 5.8 by 8.27 to 8.5 by 14 in (147 by 211 to 216 by 356 mm) input slot 3 by 5 in to 8.5 by 14 in (76 by 127 mm to 216 by 356 mm) Letter, legal, executive, envelopes (no. 10 monarch)	Out put Types	100 sheet face down bin Paper (plain, LaserJet, photo) envelopes Transparencies, labels, cardstock, postcards
		Weight	Main tray:16 to 28 lb band (60 to 105 g/m) input Slot 16 to 43 lb band (60 to 163 g/m)	Connectivity Interfaces	Hi speed usb 2.0 port Host based printing
		Types	Paper (plain, LaserJet, photo) envelopes Transparencies, labels, cardstock, postcards	Languages	Microsoft® windows 2000 and xp 32 bit Print Cartridge, getting started guide ,cd (includes software
				Client operating systems	
				What's in the box	

Next
25/06/15

pg. 1 of 8

		Connectivity	Hi speed usb 2.0 port	Warranty	And user guide) power cord Three year warranty
		Interfaces	Host based printing		
		Languages			
		Client operating systems	Microsoft® windows 2000 and xp 32 bit		
		Dimensions (w by d by h)	14.6 by 9.5 by 8.2 in (370 by 242 by 209 mm)		
		Weight	11 lb (5 kg)		
		What's in the box	Print Cartridge, getting started guide ,cd (includes software And user guide) power cord		
		Warranty	Three year warranty		
	Spare Toner Cartridge	Printer Technical Specification as per above 1 st Items		Printer Technical Specification as per above 1 st Items	
	Laser Printer - Simple Print Facility				
2	Laser Printer All-in-One - Print, Copy & Scanning Facility (Black and White)	Print speed	Up to 14 ppm letter	Print speed	Up to 14 ppm letter
		First page out	Less than 8.5 seconds from power save mode	First page out	Less than 8.5 seconds from power save mode
		Resolution	Up to 600 by 600 dpi (1200 dpi effective output),re	Resolution	Up to 600 by 600 dpi (1200 dpi effective output),re
		Enhancement, Technologies	Fastres 600(600 dpi effective output) fast	Enhancement, Technologies	Fastres 600(600 dpi effective output) fast
		Processor	Res 1200 (1200 dpi effective output)	Processor	Res 1200 (1200 dpi effective output)
		Memory	266 mhz	Memory	266 mhz
		Recommended	2 mb ram,64 kb eeprom for nvram	Recommended	2 mb ram,64 kb eeprom for nvram
		Monthly volume	25 to 1500 pages	Monthly volume	25 to 1500 pages
		Maximum		Maximum	
		Monthly duty cycle	Up to 5000 pages	Monthly duty cycle	Up to 5000 pages
		Languages	Host-based	Languages	Host-based
		Paper		Paper	

Next
25/06/15

pg. 2 of 8

	Input Output Two sided printing Sizes Weights Types Connectivity Interfaces Operating systems Dimensions (w by d by h) Weight (without print cartridge) What's in the box Warranty	150 sheet adjustable main tray 100 sheet output bin Manual two sided printing Letter,legal,executive,postcards,envelops (no 10Types Monarch) custom sixes 3 by 5 in (76 by 127 mm) To 8.5 by 14 in (216 by 356 mm) 16 to 43 ib bond (60 to 163 g/m) Paper (laser,plain,rough,vellum,archive) envelope Labels,cardstock,transparencies Hi speed usb 2.0 port Windows® 2000,xp home,xp® professional x 64, Windows server 2003 (32/64 bit) works with windows vista , mac os x v 10.3, v 10.4 and v 10.5 13.66 by 8.82 by 7.64 in (347 by 224 by 194 mm) 10.3lb (4.7 kg) Print cartridge, greeting started guide,printer Documentation and software on cd-rom ,support flyer, Power cord Three year limited warranty	Input Output Two sided printing Types Connectivity Interfaces Operating systems What's in the box Warranty	150 sheet adjustable main tray 100 sheet output bin Manual two sided printing Paper (laser,plain,rough,vellum,archive) envelope Labels,cardstock,transparencies Hi speed usb 2.0 port Windows® 2000,xp home,xp® professional Windows server 2003 (32/64 bit) works with windows vista , mac os x v 10.3, v 10.4 and Print cartridge, greeting started guide,print Documentation and software on cd-rom ,support flyer, Power cord Three year limited warranty
	Spare Toner Cartridge Laser Printer All-in One - Print, Copy & Scanning Facility	Printer Technical Specification as per above 3 rd Items	Printer Technical Specification as per above 3 rd Items	
3	Laser Printer All-in One -	Print speed First page out Up 20 ppm letter Less than 8.5 seconds from power save mode	Print speed First page out	Up 20 ppm letter Less than 8.5 seconds from power save Mode

Handwritten: 2/16/15

Handwritten: Pg. 3 of 8

Print, Copy, Scanning & Fax Facility (Black and White)	Resolution Technologies Processor Memory Recommended Monthly volume Maximum Monthly duty cycle Languages Paper Input Output Two sided printing Sizes Weights Types Connectivity Interfaces Operating systems Dimensions (w by d by h) What's in the box	Up to 600 by 600 dpi (1200 dpi effective output),re Laser 600 mhz 128 mb ram, 25 to 1500 pages Up to 8000 pages Host-based 150 sheet adjustable main tray 100 sheet output bin Manual two sided printing Letter,legal,executive,postcards,envelops (no 10Types Monarch) custom sixes 3 by 5 in (76 by 127 mm) To 8.5 by 14 in (216 by 356 mm) Less than 10 kg Paper (laser,plain,rough,vellum,archive) envelope Labels,cardstock,transparencies Network Ready Hi speed usb 2.0 port Windows® 2000,xp home,xp® professional x 64, Windows server 2003 (32/64 bit) works with windows vista , mac os x v 10.3, v 10.4 and v 10.5 420 x 365 x 309 mm Print cartridge, greeting started guide,printer Documentation and software on cd-rom ,support Warranty	Resolution Technologies Processor Memory Recommended Monthly volume Maximum Monthly duty cycle Languages Paper Input Output Two sided printing Types Connectivity Interfaces Operating systems What's in the box Scan speed Scan Resolution Scan File Format Maximum no. Of copies Fax Speed Warranty	Up to 600 by 600 dpi (1200 dpi effective output),re Laser 600 mhz 128 mb ram, 25 to 1500 pages Up to 8000 pages Host-based 150 sheet adjustable main tray 100 sheet output bin Manual two sided printing Paper (laser,plain,rough,vellum,archive) envelope Labels,cardstock,transparencies Network Ready Hi speed usb 2.0 port Windows® 2000,xp home,xp® professional Windows server 2003 (32/64 bit) works with windows vista , mac os x v 10.3, v 10.4 and Print cartridge, greeting started guide,print Documentation and software on cd-rom ,support flyer, Power cord up to 8ppm (B & W),UP to 5PPM colour up to 1200 DPI UP TO 95 33.6 KBPS Three year limited warranty
--	--	---	--	---

Handwritten: 25/06/15

Handwritten: Pg. 4 of 8

		flyer, Power cord Three year limited warranty Scan speed up to 8ppm (B & W), UP to 5PPM colour Scan Resolution up to 1200 DPI Scan File Format UP TO Maximum no. Of copies 95 Fax Speed 33.6 KBPS	
	Spare Toner Cartridge Laser Printer All-in-One - Print, Copy, Scanning & Fax Facility	Printer Technical Specification as per above 5 th Items	Printer Technical Specification as per above 5 th Items
4	Laser Printer All-in-One - A3 Size Print, Copy & Scanning Facility (Black and White)	<p>Print Technology Laser Printer</p> <p>Standard Optional Print Speed Print, copy, Scan, fax, email, Walk-up Fax Minimum 40/45 pages per minute (for both Side)</p> <p>First-page-out time fast as 4.8 seconds</p> <p>Print resolution up to 1200 x 1200 dpi</p> <p>Maximum paper size 12 x 18 in./SRA3</p> <p>Standard paper capacity 2,180 sheets</p> <p>Maximum paper capacity 3,140 sheets</p> <p>Finishing options Two-sided output standard hole punching, multi-position stapling, saddle-stitch booklet making, and v-folding Scan to email, mailbox, desktop, network file server, and to document management applications Xerox Extensible Interface Platform (EIP) enabled</p>	<p>Print Technology Laser Print Automatic (Standard)</p> <p>Processor 460Mhz</p> <p>Memory 256 mb</p> <p>Standard Optional Print Speed A4 size Print, copy, Scan, fax, email, Walk-up Fax 35/40 pages per minute (for both Minimum Side)</p> <p>Print Speed A3 size Minimum 18/20 pages per minute</p> <p>First-page-out time fast as 4.8 seconds</p> <p>Print resolution up to 1200 x 1200 dpi</p> <p>Maximum paper size 12 x 18 in./SRA3</p> <p>Standard paper capacity 2,180 sheets</p> <p>Maximum paper capacity 3,140 sheets</p> <p>Finishing options Two-sided output standard hole punching, multi-position stapling, saddle-stitch booklet making, and v-folding</p>

*Need to
25/06/15*

Pg. 5 of 8

		<p>One- and three-line fax options, 10-sheet Duplexing Automatic Document Feeder Security and cost control features EFI Fiery print server option available Linux, Windows (All Ver.) and Mac compatible</p> <p>Compatibility: Linux, Windows (All Ver.) and Mac compatible</p> <p>Maximum duty cycle 150,000 images / month</p> <p>Dimensions (WxDxH) 53 x 32 x 46 in. (1346 x 794 x 1194 mm)</p> <p>Power requirements 110V, 50/60 Hz, 15A</p> <p>Connectivity 10/100/1000BaseT Ethernet, High-Speed USB 2.0 direct, Wireless Ethernet 802.11b (via third-party adapters)</p> <p>Warranty Three years on-site</p> <p>Print speed (black normal quality, A4) UP TO 35PPM</p> <p>PRINT SPEED (BLACK NORMAL QUALITY A3) UP TO 18 PPM</p> <p>MAXIMUM NUMBERS OF COPIES 1000</p> <p>PRINT RESOLUTION 1200 X 1200 DPI</p> <p>STANDARD MEMORY 256 MB</p> <p>DUTY CYCLE MONTHLY 2,00,000</p> <p>DIMAENSION (W X D X H) 610 X 571 X 584 MM</p> <p>PROCESSER 460 MHz</p>	<p>Scan to email, mailbox, desktop, network file server, and to document management applications Xerox Extensible Interface Platform (EIP) enabled One- and three-line fax options, 10-sheet Duplexing Automatic Document Feeder Security and cost control features EFI Fiery print server option available Linux, Windows (All Ver.) and Mac compatible</p> <p>Compatibility: Linux, Windows (All Ver.) and Mac compatible</p> <p>Maximum duty cycle 2,00,000 images / month</p> <p>Power requirements 110V, 50/60 Hz, 15A</p> <p>Connectivity 10/100/1000BaseT Ethernet, High-Speed USB 2.0 802.11b (via third-party adapters)</p> <p>Warranty Three years on-site</p>
	Spare Toner Cartridge Laser Walk Printer All- in-One - A4, A3 Size Print, Copy & Scanning	Printer Technical Specification as per above 7 th Items	Printer Technical Specification as per above 7 th Items

*Need to
25/06/15*

Pg. 6 of 8

Facility			
5	Laser Color Printer - Simple Print Facility	Print Technology Print Resolution Duplex Technique Print Speed Wireless Capacity Monthly printing capacity Connectivity Operating System Supported Paper Size Warranty Memory Processor Duty Cycle	Laser Printer Upto 600x600dpi for both Black and Color Automatic(Standard) Up to 18 ppm Yes Minimum 2500 pages Minimum 1 Hi-Speed USB 2.0 port; 1 Built-in Ethernet 10/100 Ethernet; 1 Wireless 802.11b/g/n Compatible with Windows 8.1 (32-bit and 64-bit), Windows 8 (32-bit and 64-bit), Windows 7 (32-bit and 64-bit), Windows Vista (32-bit and 64-bit), Windows XP (32-bit) (SP2 or higher) A4, Letter, legal etc. Automatic two-sided printing for: A4, Letter, legal Three years on-site 256 MB Standard 800 MHz Up to 30,000 Pages
		Print Technology Print Resolution Duplex Technique Print Speed Wireless Capacity Monthly printing capacity Connectivity Operating System Supported Paper Size Memory Processor Duty Cycle Warranty	Laser Printer Upto 600x600dpi for both Black and Color Automatic(Standard) Up to 18 ppm Yes Minimum 2500 pages Minimum 1 Hi-Speed USB 2.0 port; 1 Built-in Ethernet 10/100 Ethernet; 1 Wireless 802.11b/g/n Compatible with Windows 8.1 (32-bit and 64-bit), Windows 8 (32-bit and 64-bit), Windows 7 (32-bit and 64-bit), Windows Vista (32-bit and 64-bit), Windows XP (32-bit) (SP2 or higher) A4, Letter, legal etc. Automatic two-sided printing for: A4, Letter, legal --- 256 MB Standard 800 MHz Up to 30,000 Pages Three years on-site

*Heet
25/06/15*

Pg. 7 of 8

Spare Toner Cartridge Laser Color Printer - Simple Print Facility	Printer Technical Specification as per above 9 th Items	Printer Technical Specification as per above 9 th Items
--	--	--

2.

In Chapter-7 Financial Bid Page No- 31, the last page of the tender it is written:-

L1 will be decided on the basis of grand total of all the items. Bidder has to bid for all the items otherwise they will

Instead of this:-

L1 criteria for financial bid will be as stated below and also mentioned in Chapter-3 also under Notes Point No-5

L1 will be decided item number wise on the basis of grand total of specific item (i.e. Printer + Cartridge). Bidder has to bid for all the items mentioned against each item number otherwise they will be treated as disqualified.

*Heet
25/06/15*

Pg. 8 of 8