

Form - IV
(See rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl.	Particulars		
1.	Particulars of the Occupier :		
	(i) Name of the authorised person (occupier or operator of facility)	:	Director
	(ii) Name of HCF or CBMWTF	:	All India Institute of Medical Sciences Bhopal
	(iii) Address for Correspondence	:	Saket Nagar, Tehsil - Huzur, Dist. - Bhopal, Pin - 462020 (M.P.)
	(iv) Address of Facility	:	-do-
	(v) Tel. No, Fax. No	:	
	(vi) E-mail ID	:	
	(vii) URL of Website	:	www.aiimsbhopal.edu.in
	(viii) GPS coordinates of HCF or CBMWTF	:	23.2684, 77.4493
	(ix) Ownership of HCF or CBMWTF	:	(State Government or Private or Semi Govt. or any other) - Central Govt.
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	:	Authorisation No.: AWHB51579 valid up to 25/01/2021
	(xi). Status of Consents under Water Act and Air Act	:	Valid up to: 25/01/2021 Application submitted to MPPCB
2.	Type of Health Care Facility :		
	(i) Bedded Hospital	:	No. of Beds: 960
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	Not Applicable
	(iii) License number and its date of expiry	:	
3.	Details of CBMWT :		
	(i) Number healthcare facilities covered by CBMWTF	:	Not Applicable
	(ii) No of beds covered by CBMWTF	:	Not Applicable
	(iii) Installed treatment and disposal capacity of CBMWTF:	:	Not Applicable
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	Not Applicable
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow Category : 4382.241 kg Red Category : 6416.175 kg White: 221.966 kg Blue Category : 1118.691 kg


5	Details of the Storage, treatment, transportation, processing and Disposal Facility																																																		
	(i) Details of the on-site storage facility	:	Size : 75.7ft X 27ft X 10ft																																																
		:	Capacity : 20439 cu. ft																																																
disposal facilities		:	Provision of on-site storage : (cold storage or any other provision)																																																
			<table border="1"> <thead> <tr> <th>Type of treatment equipment</th> <th>No of units</th> <th>Capacity Kg/day</th> <th>Quantity treated or disposed in kg per annum</th> </tr> </thead> <tbody> <tr> <td>Incinerators</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Plasma Pyrolysis</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Autoclaves</td> <td>1</td> <td></td> <td></td> </tr> <tr> <td>Microwave</td> <td>2</td> <td></td> <td></td> </tr> <tr> <td>Hydroclave</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Shredder</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Needle tip cutter or destroyer</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Sharps encapsulation or concrete pit</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Deep burial pits:</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Chemical disinfection:</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Any other treatment equipment:</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Type of treatment equipment	No of units	Capacity Kg/day	Quantity treated or disposed in kg per annum	Incinerators				Plasma Pyrolysis				Autoclaves	1			Microwave	2			Hydroclave				Shredder				Needle tip cutter or destroyer				Sharps encapsulation or concrete pit				Deep burial pits:				Chemical disinfection:				Any other treatment equipment:			
Type of treatment equipment	No of units	Capacity Kg/day	Quantity treated or disposed in kg per annum																																																
Incinerators																																																			
Plasma Pyrolysis																																																			
Autoclaves	1																																																		
Microwave	2																																																		
Hydroclave																																																			
Shredder																																																			
Needle tip cutter or destroyer																																																			
Sharps encapsulation or concrete pit																																																			
Deep burial pits:																																																			
Chemical disinfection:																																																			
Any other treatment equipment:																																																			
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	:	Red Category (like plastic, glass etc.) 90418.400 kg																																																
	(iv) No of vehicles used for collection and transportation of biomedical waste	:																																																	
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum		<table border="1"> <thead> <tr> <th></th> <th>Quantity generated</th> <th>Where disposed</th> </tr> </thead> <tbody> <tr> <td>Incineration - Ash</td> <td>-</td> <td></td> </tr> <tr> <td>ETP Sludge</td> <td>1500 kg</td> <td>As per MPPCB Guideline</td> </tr> </tbody> </table>		Quantity generated	Where disposed	Incineration - Ash	-		ETP Sludge	1500 kg	As per MPPCB Guideline																																							
	Quantity generated	Where disposed																																																	
Incineration - Ash	-																																																		
ETP Sludge	1500 kg	As per MPPCB Guideline																																																	
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	:	M/s. India Waste Management																																																
	(vii) List of member HCF not handed over bio-medical waste.																																																		
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period		Yes																																																

7	Details trainings conducted on BMW	
(i)	Number of trainings conducted on BMW Management.	33
(ii)	Number of personnel trained	1248
(iii)	Number of personnel trained at the time of induction	
(iv)	Number of personnel not undergone any training so far	
(v)	Whether standard manual for training is available?	Yes
(vi)	Any other information	
8	Details of the accident occurred during the year	
(i)	Number of Accidents occurred	113
(ii)	Number of the persons affected	113
(iii)	Remedial Action taken (Please attach details if any)	<ul style="list-style-type: none"> • Injection Tetanus Toxoid • Hepatitis B vaccination in unvaccinated persons • Counseling • Lab testing for baseline & follow-up viral markers
(iv)	Any Fatality occurred, details.	
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	Not Applicable
	Details of Continuous online emission monitoring systems installed	Not Applicable
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	
12	Any other relevant information	: (Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from: 1st January 2021 to 31st December 2021


.....

Name and Signature of the Head of the Institution


 प्रो. (डॉ.) नितिन म. नागरकर
 Prof. (Dr.) Nitin M. Nagarkar
 निदेशक/Director
 अखिल भारतीय आयुर्विज्ञान संस्थान, भोपाल
 All India Institute of Medical Sciences, Bhopal

Date: 20/06/2022

Place: Bhopal


 डॉ. देवाशीष बिहारी / Dr. Debasis Biswas
 MD, PDC, MNAMS, MNASC, FRC Path
 प्राध्यापक एवं विभागाध्यक्ष/Professor & Head
 सूक्ष्मजीवविज्ञान विभाग/Department of Microbiology
 अखिल भारतीय आयुर्विज्ञान संस्थान, भोपाल-462020
 All India Institute of Medical Sciences Bhopal-462020