

ALL INDIA INSTITUTE OF MEDICAL SCIENCES (AIIMS) BHOPAL

Saket Nagar, Bhopal-462020 (Madhya Pradesh) India Website: www.aiimsbhopal.edu.in

NOTICE INVITING TENDER

Tender No.:AIIMS Bhopal/EE (C)/Kitchen Eqpt/2014-15/

Dated: 06.11.2014

On behalf of Director, All India Institute of Medical Sciences (AIIMS) Bhopal, Notice Inviting Tender for Supply, Installation, Testing and Commissioning of Kitchen Equipment for AIIMS Bhopal is invited under Two Bid System in sealed cover.

Detailed Description and Term & Conditions of Tender Document may be seen and downloaded from AIIMS Bhopal website www.aiimsbhopal.edu.in or may be obtained directly from the Office of Superintending Engineer, Hospital Building AIIMS Bhopal Saket Nagar Bhopal 462020 (MP) on any working day from 08.12.2014 to 29.12.2014from 10.00 Hrs to 17.00 Hrs except Saturday/Sunday/Holyday on paying Cost of Tender Document (i.e. Rs. 1,050/-(Non Refundable)in the form of DD, drawn from any Nationalized Bank in favour of "Director, AIIMS Bhopal".. Last date of submission of tenders is 30.12.2014 (Up to 12.30Hrs) in the Tender Box kept in the Office.

Executive Engineer (Civil)
AIIMS Bhopal



ALL INDIA INSTITUTE OF MEDICAL SCIENCES (AIIMS) BHOPAL

Saket Nagar, Bhopal-462020 (Madhya Pradesh) India

Website: www.aiimsbhopal.edu.in

Tender No. 172: AIIMS Bhopal/EE (C)/Kitchen Eqpt/2014-15/01 Dated 06.11.2014

Notice Inviting Tender for Supply, Installation, Testing and Commissioning of Kitchen Equipment at AIIMS Bhopal

On behalf of Director, AIIMS Bhopal, the Executive Engineer (Civil), AIIMS Bhopal, invites sealed tender under "TWO BIDS TECHNICAL & FINANCIAL SYSTEM" in prescribed tender document from firms/manufacturers/suppliers for "Supply, Installation, Testing and Commissioning of Kitchen Equipment at AIIMS Bhopal".

Schedule of Requirement (Specification Given On Chapter-3, Page No-15 to 22)

SNo	Name of item	Qty	EMD In Indian	
			Rupees	
1	Kitchen Equipment	As details given in tender	50,000=00	

Schedule of Tender

Sr.No.	Schedule	Particulars
1	Cost of Tender Form	Rs. 1050/- (One Thousand Fifty Only) Non Refundable in the Form of DD in favour of "Director, AllMS Bhopal" from any Nationalized bank. Those who have downloaded the tender document should accompany above Tender Document cost DD in Technical Bid Envelop.
2	Date of issue of Tender Document	08.12.2014
3	Pre bid conference	22/12/2014 at 11.30 AM in the office of SE Project cell Hospital building AIIMS Bhopal.
4	Last date of Sale of Tender Document	29.12.2014
5	Date of submission of tender	30.12.2014 ; 12.30 Hrs
6	Date of Opening of Technical Bid	30.12.2014 ; 13.00 Hrs
7	Earnest Money Deposit	The DD/Banker's Cheque/FDR of EMD of Rs. 50,000/- (No interest shall be paid) to be drawn in favour of "Director, AIIMS Bhopal". In respect of successful bidder it will be returned after submission of Performance Security Deposit to AIIMS Bhopal and

		Performance Security Deposit should remain valid for a period of Ninety Days beyond the date of completion of all contractual obligations including 36 Months Warranty. Any other dues outstanding shall also be recovered from the Performance Security Deposit. In the case of unsuccessful Bidders, the EMD shall be refunded within 30 days of award of contract to successful bidder/bidders.
7	Estimated Cost	23,47,848/- (Rs Twenty Three Lakh Forty Seven Thousand Eight Hundred Forty Eight Only)

Note:-

The details of Tender Terms & Conditions are mentioned in Tender Document.

- 1. Tender Form can be purchased from Office of Superintending Engineer, Hospital Building AIIMS Bhopal Saket Nagar Bhopal by paying Cost of Bid Document of Rs. 1,050/- (One Thousand Fifty only) Non Refundable in form of Demand Draft of any Nationalized Bank drawn in favour of "DIRECTOR, AIIMS BHOPAL" payable at BHOPAL on all working days from 10.00 Hrs. to 17.00 Hrs. except Saturday/Sunday/Holyday or downloaded directly from AIIMS Bhopal website www.aiimsbhopal.edu.in. Those who have downloaded the tender document from website must enclose a DD for Rs. 1050/- (One Thousand Fifty only) along with their Technical Bid (NON-REFUNDABLE) BY WAY OF SEPARATE DEMAND DRAFT DRAWN IN FAVOUR OF DIRECTOR, AIIMS, BHOPAL AND THE SAME SHOULD ESSENTIALLY BE ENCLOSED ALONGWITH THE TECHNICAL BID. THE BIDDERS SHOULD SPECIFICALLY SUPERSCRIBE, "DOWNLOADED FROM THE WEBSITE" ON THE TOP LEFT CORNER OF THE OUTER ENVELOPE CONTAINING TECHNICAL BID & FINANCIAL BID SEPARATELY. IN NO CASE, THE TENDER COST FEE SHOULD BE MIXED WITH EMD AMOUNT. THE TENDERS NOT FOLLOWING THE ABOVE PROCEDURE, THEIR BIDS WILL BE SUMMARILLY REJECTED.
- 2. The Director, AIIMS Bhopal reserves the right to reject any or all tenders without assigning any reasons whatsoever.
- 3. Interested Bidders are advised to visit AIIMS Bhopal website www.aiimsbhopal.eud.in for details of this Tender Document & amendments in case if any after the issuing date but before one day of date of receipt.

Enclosed: Tender Document

Executive Engineer (Civil)

Copy to:

- 1. Director/Dy. Director(Admin)/MS/Financial Advisor/Store Officer of AIIMS, Bhopal
- 2. Notice Board of MS/Admin/Store Department for wider publicity and Vendors information.
- 3. IT Department, AIIMS Bhopal- Requested for upload the same in the AIIMS Bhopal Websitewww.aiimsbhopal.edu.in / www.aiimsbhopal.nic.in / CPP Portal www.eprocure.gov.in for wider publicity.



ALL INDIA INSTITUTE OF MEDICAL SCIENCES (AIIMS) BHOPAL

Saket Nagar, Bhopal-462020 (Madhya Pradesh) India Website: www.aiimsbhopal.edu.in

Tender No.: AIIMS Bhopal/EE (C)/Kitchen Eqpt/2014-15/Dated 06.11.2014

NOTICE INVITING TENDER For Supply, Installation, Testing and Commissioning of Kitchen Equipment AIIMS Bhopal

- 1. Sealed tenders are invited under two bid system (Part-I Earnest Money Technical bid and tender cost & Part-II Financial bid) from prominent Manufacturers/Authorised Dealers/Whole-sellers/Agencies on annual Supply basis, for a period of one year from the date of commencement of award. If the performance is found satisfactory, the contract would be extendable further for a period as may be agreed mutually (not beyond 1 year) by both the parties.
- 2. The Parties interested for any clarification, should send their Pre Bid enquiries (if any) through email to ee@aiimsbhopal.edu.in by 20.12.2014 upto 17.30Hrs. No need to visit AIIMS Bhopal in person, the clarification will be uploaded by 25.12.2014 upto 17.30 Hrs. on AIIMS Bhopal website www.aiimsbhopal.edu.in, copy of clarification downloaded should be enclosed, duly signed and stamped along with Technical Bid Document. However, Bidders, who want to visit the site location where the Kitchen Equipment are required to be installed at AIIMS Hospital Kitchen Areas at AIIMS Bhopal, are allowed to visit the AIIMS Bhopal under intimation to Executive Engineer (Civil) AIIMS Bhopal.
- 3. The amount of Earnest money of Rs. 50000/- (Forty Thousand only) (Non-Interest bearing). This Earnest money deposit is compulsory and equal to all the prospective bidders, whether they are bidding for single Item or all the items as per the requirement list given in Chapter-7 of this Tender Enquiry Document. The Bidder is required to deposit earnest money along with their Technical Bid document in Technical Bid Envelope in the form of Banker's Cheque/Demand Draft (Non-Interest Bearing)/FDR from any Nationalized Bank and the same should be drawn in favour of "Director, AIIMS Bhopal" payable at Bhopal.
- 4. The Tenderer is required to prepare two sealed cover super scribed as (i) **Cover-I**-Technical Bid, and (ii) **Cover-II** Financial Bid. Both covers should be kept **in one main sealed cover** super scribed as "Tender for Supply, Installation, Testing and Commissioning of Kitchen Equipment AIIMS Bhopal due on 30.12.2014".
- 5. The tenderer has to drop the sealed cover in above manner in the Tender Box kept at the **Office of Superintending Engineer, Hospital Building AlIMS Bhopal Saket Nagar Bhopal** 462020 (MP) on or before 30.12.2014 by 12.30 Hrs. positively. The tender shall not be accepted beyond the stipulated date and time under any circumstances whatsoever.
- 6. The Technical bid will be opened on the same day at 13.00 hrs by a Committee constituted by the competent authority of AIIMS Bhopal, in its office in the presence of the Tenderers or their authorised representative who wish to be present. The date and time for opening of Financial Bids of the technically qualified Tenderers shall be communicated later as per convenience of this office.
- 7. The Authority reserves the right to reject/cancel any or all the tenders at any time or to relax/amend/withdraw any of the terms and conditions as contained in the Tender Documents without assigning any reason, thereof. Any inquiry after submission of the tender will not be entertained.

- 8. Bidders shall not approach for refund of EMD till the finalization of the tendering process and award of contract to qualifying Tenderer. The offer should remain valid for a minimum period of 90 days. EMD shall be refunded to the unsuccessful bidders within 30 days of award of contract to the successful bidder/bidders.
- 9. AIIMS Bhopal reserves the full rights to increase/decrease the quantity of items in the tender as per requirement.
- 10. Any dispute is subject to the jurisdiction of Civil Court Bhopal.
- 11. The Tender Document has been divided into the following chapters:-
 - Chapter-1: General Instructions to Bidders (Page No. 6 to 7)
 - Chapter-2: Terms and Conditions of Contract (Page No.8 to 112)
 - Chapter-3: Schedule of Requirements & Technical Specifications (Page No. 13 to 26)
 - Chapter-4: Technical Bid Format (Page No. 27 to 28) and Certificate (Page No. 29)
 - Chapter-5: Check List (Page No. 30)
 - Chapter-6:Draft agreement Form (Page No. 31 to 33) and Performance Bank Guarantee Form (Page No.34)
 - Chapter-7: Financial Bid (to be utilized by the bidders for quoting their prices and price bid should be kept in separate sealed envelope superscripted as Financial Bid for Supply, Installation, Testing and Commissioning of Kitchen Equipment) (Page No. 35 to 38)

Chapter - I

GENERAL INSTRUCTIONS TO BIDDERS

- 1. **Scope of Work**: The work consists of Supply, Installation, Testing and Commissioning of Kitchen Equipments at Hospital Building AIIMS Bhopal, Saket Nagar, Bhopal-462 024 (MP) in accordance with the "schedule of quantities" and as details given ib the tender. It includes furnishing of all materials, labour, tools, equipment training, management and obtaining all Statutory approval/clearances by local authorities (if any) necessary for the incidental to the installation and completion of the work.
- 2. **Tenderers shall visit the site**: Intending tenderer shall visit the site (i.e. Hospital Building Hostel's Floor Dinning Block Kitchen Area at AIIMS Bhopal) and make himself thoroughly acquainted with the site condition, nature and requirements of the work, facilities of transport conditions, effective labour and materials, access and storage for materials and removal of rubbish. The rate quoted by the contractor shall take care of all contingencies required for completion of the work to the entire satisfaction of the Purchaser including statutory body approvals/clearances by Local Authorities (if any) required for the execution of work as per specifications under this Tender. The tenderer shall provide in their tender for cost of carriage, freight and other charges as also for any special difficulties and including police restriction for transport etc., for proper execution of work as directed by Engineer-in-charge and the specifications mentioned in the description of items. The successful tenderer will not be entitled to any claim of compensation for difficulties faced or losses incurred on account of any site condition which existed before the commencement of the work or which in the opinion of the AIIMS Bhopal might be deemed to have reasonably been inferred to be so existing before commencement of work. The rates quoted be inclusive of all.
- 3. The Tenderer must fulfil the following specifications/conditions:-
- (a) The tenderer should have its own Bank Account, PAN, TAN, TIN, VAT and Service Tax Number.
- (b) The tenderer should be a reputed supplier having at least three years dealing experience of Supply, Installation, Testing and Commissioning of Kitchen Equipments with the Government Departments/PSUs/Reputed Private Organizations. Certificate in token of Proof of experience, of the concerned Department/Organization should be enclosed for ready reference.
- (c) The tenderer is required to submit detailed Technical Specifications in accordance to the required Technical Specifications as mentioned in tender, at Schedule of Requirement and Technical Specifications at Chapter-3 of each of the items of **Supply, Installation, Testing and Commissioning of Kitchen Equipment's** for which the rates they have been quoted along with their Technical Bid Documents with their quoted items nos. and their firm name without indicating any prices for assessing the Technical Competency of the Offered items with the help of Subject Expert during Technical Evaluation of the Bid by AIIMS Bhopal.
- (d) The rates are to be quoted on FOR-Destination inclusive of all taxes etc. However, their breakup is necessary.
- (e) The offer of Tenderers quoting rates as per Technical Specifications laid down in Schedule of Requirement and Technical Specifications (Chapter-3).
- (f) The tenderer should submit self-attested copies of the Income Tax Returns and Audited certified Accounts, Average Turnover of Rs. 15Lakh and Profit & Loss Accounts for the last Three Financial years (i.e. for 2011-12, 2012-2013 and 2013-2014).

	Description
Group 1	Bidder should have average annual financial turnover of Rs.16 LAKH during the last three Financial Years ending 31 st March 2014 and should not have incurred loss in last 3 years. A letter duly signed by the Chartered Accountant/Company Secretary/Owner indicating the Financial Turnover and Profit & Loss Account must accompany with Technical Bid.

- i) Should have satisfactorily completed Similar <u>Single Work of Rs. 18 Lakh</u>
 OR
 ii) Should have satisfactorily completed <u>Two Similar works each costing Rs. 12 Lakh</u>
 OR
 iii) Should have satisfactorily completed <u>Three Similar Works each costing Rs. 8 Lakh</u>
- (h) The tenderer should give an Affidavit duly Notarized on Stamp Paper worth Rs. 50/- in clear and un-ambiguous language that it has never been black listed/no criminal case pending by any of the organisation with whom, it had dealing for supply of similar items during last five years nor has been penalized for inferior or poor quality in supply.
- (i) The tenderer should be financially sound and in a position to carry out any other additional supply and installation work order on approved L-1 Rates under this Rate Contract as per the need of AIIMS Bhopal on a short notice.
- (j) The Director, AIIMS Bhopal reserves the right to reject any or all tenders without assigning any reasons whatsoever.
- (4) The Pre Bid meeting is to held on 22/12/2014 at 11.30 AM in the office of SE Project cell Hospital building AIIMS Bhopal. The contractor /agency /vendor has to give the complete specifications as specified in the tender document for all items along with all the electrical specifications for the required items giving make, brand, current capacity, power requirement, single phase- three phase with required pamphlets and broachers etc. If this condition is not satisfied the tender may likely to be rejected.

Executive Engineer (Civil)

Chapter -2

TERMS AND CONDITIONS

- 1. This rate contract is of initial validity for Supply, Installation, Testing and Commissioning of Kitchen Equipment at AIIMS Bhopal for a period of one year from the date of award of contract or as indicated in the Rate Contract Agreement. The contract may be extendable year to year subject to a maximum period of 3 year), on the same terms and conditions or as may be agreed mutually by both the parties under the prevailing circumstances.
- 2. The tender is **on basis** for providing each and every thing required for Supply, Installation, Testing and Commissioning of Kitchen Equipment at AIIMS Bhopal.
- 3. The entire relevant extra work i.e. electrification, plumbing, civil work & all other related works required to for commissioning/testing etc. shall be done and provided by bidder itself. Also the quality and company of the items installed should be reputed and AIIMS Bhopal official should be agreeing with the quality provided.

ELIGIBILITY/EVALUATION CRITERIA

- 4. The tenderer must fulfil the following specifications (all documentary proofs, self-attested and stamped (seal), are required to be submitted along with the technical bid):
 - (a) The tenderer should have its own Bank Account, PAN, TIN, TAN Number, VAT and Service Tax Number. Self-attested Photostat of all should be enclosed.
 - (b) The Tenderer should be a reputed &financially sound parties (in the area of Supply, Installation, Testing and Commissioning of Kitchen Equipment) having minimum experience of three years and expertise in supplies to Central Government Institutes/Ministries/Departments/Public Sector &Undertakings/Reputed Private Organizations etc. Proof of experience in the form of copy of certificates obtained from Govt. Dept./PSU's/Organizations etc. should be enclosed. Copy of Income Tax Return and Audited Certified Accounts for the last three financial years shall also be enclosed with the Technical Bid.

	Description
1	Bidder should have average annual financial turnover of Rs.16 LAKHduring the last three Financial Years ending 31 st March 2014 and should not have incurred loss in last 3 years. A letter duly signed by the Chartered Accountant/Company Secretary indicating the Financial Turnover and Profit & Loss Account must accompany with Technical Bid.
	i) Should have satisfactorily completed Similar <u>Single Work of Rs. 18 Lakh</u> OR
	ii) Should have satisfactorily completed <u>Two Similar works each costing Rs.12 Lakh</u> OR
	iii) Should have satisfactorily completed ThreeSimilar Works each costing Rs. 8 Lakh

- c) Since it is a Kitchen Equipment Work Package, Rate for any or part of the items will not be accepted. The rate of the total work package will ONLY be considered. The Bidder along with other documents in the Technical Bid MUST submit a declaration on the letter head of the Company to the effect that they are participating in the bid for the Total Kitchen Equipment Work Package in the AIIMS Bhopal, Saket Nagar, Bhopal. In the event of non submission of the same with the Technical Bid, the Bidder will be disqualified and the Financial Bid of such Bidder shall not be opened.
- d) The Technical Responsive bidder's, Financial Bid shall only be opened and L-1 bidder shall be decided on the basis of overall Total Work Package value basis (i.e. not each individual item wise basis).

- e) The amount of Earnest money deposit is of Rs. 40,000/- (Forty Thousand Only), should be necessarily accompanied with the technical bid in the form of Demand Draft/Banker's Cheque/FDR drawn from any Nationalized Bank in favour of "Director, AllMS Bhopal", Payable at Bhopal, failing which the tender shall be declared un-responsive. EMD shall be refunded to the unsuccessful bidders within 30 days of award of contract to the successful bidder/bidders.
- f) The successful Tenderer shall have to deposit a Performance Security @10% of order value on each occasion in the form of Demand Draft/Banker's Cheque/FDR/Bank Guarantee in favour of "Director, AlIMS Bhopal" Payable at Bhopal. If Bidder interested to furnish the Performance Security in the way of Bank Guarantee, the Format enclosed at Chapter-6 for reference). The performance security should remain valid for a period of Ninety days beyond the date of completion of all contractual obligations including 36 Months warranty (i.e. for 39 months from the date of Purchase Order). In case, the contract is further extended beyond the initial period of one year, the Performance Security Bank Guarantee shall have to be renewed accordingly and its extension shall be communicated at the time of award of addendum of contract. Earnest Money Deposit shall be refunded to the successful bidder on receipt of performance security.
- g) The Tenderer should give an affidavit duly notarized on Stamp paper worth Rs. 100/-,therein clearly and unambiguously mentioning that it has neither been black listed/no criminal case is pending against him by any of the Govt. Institute/Ministries/Departments/PSU with whom, it had contract for Supply, Installation, Testing and Commissioning of Kitchen Equipment AIIMS Bhopal etc. during last five years nor has been penalized by such organization on account of poor/spurious quality/after sales services.
- h) The tenderer is advised to submit the desired papers/documents with their technical bid as per the Check List indicated in **Chapter-5** failing which their bids shall be declared un-responsive.
- i) ISO Certification: The Tenderer Manufacturer/Firm having the Quality Certification (ISO/BIS Certification), copy of the same must be enclosed with Technical Bid Document.
- j) Any deviation in the material, and the specification as per BIS from the accepted terms and conditions is liable to be rejected and the bidder/manufacturer need to supply the items to the satisfaction/specifications stipulated in the work order and demonstrate at their own cost, AIIMS Bhopal will not be liable to pay any extra cost for the replacement of any sub-standard item, the bidder is liable to bear the same. The items below specifications (mentioned in financial bid) are not acceptable at any stage.

OTHER ESSENTIAL TERMS & CONDITIONS:-

- 1. The selected tenderer would be required to arrange Supply, Installation, Testing and Commissioning of Kitchen Equipment AllMS Bhopal as per the Despatch Instructions/Purchase cum Supply Order during the working hours of the Institute. Since the rates are to be quoted on destination (at any place in AllMS Bhopal) complete job basis, no other charges whatsoever are payable extra by AllMS Bhopal to any successful Tenderer.
- 2. The selected tendering Firm/Agency/Company shall also provide the name and mobile number of a key person, who can be contacted at any time, even beyond the office hours and on holidays. The person should be capable of taking necessary action for removing any failure/problem persisted and reported during normal Supply, Installation, Testing and Commissioning of Kitchen Equipment functions in short notice at AIIMS Bhopal.
- **3.** Order shall be issued on requirement basis. Bills in triplicate for the items supplied, installed & put to the working conditions may be part of the work & satisfaction of the competent authority, by the selected firm(s) should be raised for payment. Payment shall be released after deducting TDS as per Income Tax Rules and any other deductions as per Government rules and payment shall be released only after it is ensured that the items/quantity and quality of items supplied /installed/functioning are to the entire satisfaction of this office. If any items are found to be defective, or not of the desired quality etc., the same shall be replaced immediately, for which no extra payment shall be made by AIIMS Bhopal.
- 4. Factory / Warehouse inspection: The factory testing will be done in the factory/warehouse of the Vendor. All the necessary inspection/testing facilities would be provided by selected bidder as per the requirement of inspection/testing team constituted by the Competent Authority of AIIMS Bhopal, wherein all the necessary

expenditure related to inspection shall be borne by the bidder. The bidder shall make the equipment ready for the inspection within 10 days from the date of placing the order by the indenters. For every such batch, the bidder shall communicate in writing to AlIMS Bhopal about the readiness of the equipment for the inspection. The method of inspection shall be on sampling basis and its intensity will be 10%. However AlIMS Bhopal reserves the right to make change in methodology and intensity of the inspection. On satisfaction after tests, the batch shall be cleared for dispatch. Any deviation found in the Technical Specification of the produced goods or delivered goods after inspection from the tender specifications will lead to the cancellation of the order, forfeiture of EMD/PBG and prohibition in the participation in the future tender /purchase of AlIMS Bhopal and AlIMS Bhopal will not be responsible for any time delay which may arise due to any deviation from the bid technical specification found at the time of inspection and the bidder has to deliver and install the ordered goods within prescribed time limit. The indenter's right to inspect test and, where necessary, reject the Goods after the Goods arrival at Customer Site shall in no way be limited or waived by reason of the Goods shipment.

- 5. Quality of Goods and Services: The equipment/product must confirm to the Technical specifications given in Chapter-3 and Quality Of Materials. The bidder shall guarantee that item delivered to the purchaser are brand new and not refurbished one. Consistency in quality shall be maintained for the entire lot of products offered. All the required quantity of items in schedule of requirement shall be of the same brand and model no. The bidder shall not substitute any internal components or subsystems of the product by similar items of different specifications/ manufacturers. The vendor shall be responsible for the quality of supply. Successful bidder has to paste non-removable sticker on all kinds of peripheral and all kinds of Cartridges etc. with details of Tender no., Bidder's name, Address, Contact detail, Service Centre/ help line number and warranty expiry date.
- 6. **Warranty Declaration**: The Bidder/Manufacturer must give on-site THREE YEAR WARRANTY of the installed equipment's from the date of commissioning and also give the warranty that everything to be supplied by them shall be free from any defects and faults in materials, workmanship and shall be of the highest quality and the equipment's ordered shall be in full conformity with the specifications. If any Manufacturing, Operational defect observed during the warranty period of 36 months, the Bidder shall remove/replace the defect/sub-standard material within 10 working days' time after getting written intimation from concerned Competent Authority of AIIMS Bhopal. In case of not attending the same within stipulated period of 10 days, the deduction of money be made in accordance to provision given at ESSENTIALTERMS & CONDITIONS at Clause No.8.
- 7. **Delivery & installation:** Within 35 working days from the date of confirmed purchase Order/Purchase Instruction issued by the Competent Authority of AIIMS Bhopal (including Holidays), Bhopal-462 020 (MP).
- 8. If the selected firm fails to deliver the items or replace the defected/spurious items within the stipulated date & time, a penalty on a weekly basis for delay @ 1% on per week basis, subject to maximum of @10% of total Order Value as penalty and the actual cost paid to be an outside agency by the All India Institute of Medical Sciences (AIIMS) Bhopal shall be deducted from the firm's pending bills or Performance Security, as the case may be.
- 9. **Hands on Training to AllMS Bhopal Kitchen Staff**: Operational training, if required will be provided by the supplier at his cost. Training should be of 1 officer and 2 cook / kitchen servant for handling of sophisticated Kitchen Equipment must be given.
- 10. All India Institute of Medical Sciences (AIIMS) Bhopal shall be the sole authority to cancel or amend the order, as per requirement, and also to place order for supply of items beyond office hours/holidays/place of supply for which, no additional payment shall be made.
- 11. The bills raised by the selected tendering Firm/Agency/Company should have all tax registration numbers printed on bill. The bill shall be signed by the authorized signatory of the firm across a revenue stamp. Validity of the tax registration during the currency of contract shall be the sole responsibility of the tendering Firm/Agency/Company. The bill shall be raised indicating permissible taxes separately and the copies of proof of Service Tax/VAT or other applicable taxes deposited to Tax Authorities by the firm for recent period, just before the submission of Bills must also be enclosed for reference of AIIMS Bhopal authorities.
- 12. The tendering Firm/Agency/Company shall be bound by the details furnished by him/her to the All India Institute of Medical Sciences (AIIMS) Bhopal while submitting the tender or at subsequent stage. Upon selection of the tendering Firm/Agency/Company, if at any stage, the documents furnished by him/her is found to be false or the

- quality of the articles quality/ different Technical Specifications found below category, it would be deemed to be a breach of terms of contract, the contract shall be cancelled and performance security shall be stand forfeited.
- 13. The rate quoted by the selected tendering Firm/Agency/ Company, and as approved by the All India Institute of Medical Sciences (AIIMS) Bhopal, shall remain valid throughout the period of contract and any request to increase the rates for any or all items, during the currency of contract, shall not be entertained at any stage.
- 14. The selected firm(s) shall not be allowed to transfer, assign, pledge or sub-contract its rights and liabilities under this contract to any other agency(ies) without prior written consent of the All India Institute of Medical Sciences (AIIMS) Bhopal. If it is found that the firm has given sub-contract for Supply, Installation, Testing and Commissioning of Kitchen Equipment on the basis of procurement/ supply order, the contract shall stand cancelled & the performance security shall stand forfeited.
- 15. The conditional/incomplete bids shall not be considered and shall be declared un-responsive.
- 16. All entries in the tender form should be legible and filled clearly in the published in the Financial Bid Form (Chapter-7) only. If the space for furnishing the information is found insufficient, a separate sheet duly signed by the authorized signatory may be attached. No overwriting or cutting or other than issued forms is permitted in the bid forms. In such cases, the tender shall be declared un-responsive.
- 17. The tender documents should be sealed and clearly super-scribed with the words "Tender for Supply, Installation, Testing and Commissioning of Kitchen Equipment AIIMS Bhopal at AIIMS Bhopal".
- 18. If a tendering Firm/Agency/Company decides to withdraw from the bidding before the financial bids are opened, the AIIMS Bhopal shall have the right to forfeit EMD of Rs. 50,000/- (Fifty Thousand Rupees Only), whichever the bidder has participated.
- 19. All India Institute of Medical Sciences (AIIMS) Bhopal shall not be responsible for any financial loss or other damage or injury to any item or person deployed/supplied by the successful bidder in the course of their performing the duties to this office in connection with purchase order/supply order for all Supply, Installation, Testing and Commissioning of Kitchen Equipment at site.
- 20. The Competent Authority of All India Institute of Medical Sciences (AIIMS) Bhopal reserves the right to relax/withdraw any of the terms and conditions mentioned in the tender documents, if doing so is in the interest of the AIIMS Bhopal.
- 21. The Tender should be dropped only in the designated Tender Box kept at the Office of the Superintending Engineer/Executive Engineer Hospital Building, AIIMS Bhopal, Saket Nagar, Bhopal-462020 (MP). The closing time and date for acceptance of tenders shall be 12.30 hrs on/ before by 30.12.2014. No tender received later the stipulated date & time or from other modes/place shall be entertained & shall be declared un-responsive.
- 22. The tenders will be opened on the same day (i.e. on 30.12.2014) in Office Room of the Designated Officer at Superintending Engineer Hospital Building, AIIMS Bhopal, Saket Nagar, Bhopal-462 020(MP) at 13:00 hours in the presence of such tendering Firm/Agency/Company or their authorized representatives (only One representative from each of company shall be allowed) who wish to be present/witness at the time of opening of bids.
- 23. AIIMS Bhopal reserves the right to place an order for supply and installation of any items mentioned in the Financial Bid (Chapter-7) or otherwise, to any other firm(s) in emergency/unavoidable situation.
- 24. The Bid shall remain valid for the period not less than 90 days after the last date of bid submission.
- 25. This office shall have the full authority to reject any/all offer(s) without assigning any reason thereof. Any enquiry after submission of the quotation will not be entertained.
- 26. The contract will be valid from the date; it is awarded /formalities completed. This office will, however, reserve the right to conduct performance review at any time during the contract period and deficiencies, if any, noticed

27. The tendering Firm/Agency/Company should have its own Bank Account Number, TIN/TAN Number, PAN Number, VAT and Service Tax Registration Number. Self- attested copy of the same should be enclosed. The Bank name and account number should be intimated to Account Officer, AIIMS Bhopal to which all payments for Supply, Installation, Testing and Commissioning of Kitchen Equipment will be made through ECS transfer in case of the successful bidder.
28. Any complementary scheme offered by the manufacturer shall be provided to the All India Institute of Medical Sciences (AIIMS) Bhopal with no additional cost.

shall be required to be rectified at the cost of firm and compliance reported. This office reserves the right to sub-

moto terminate the contract by giving one month's notices at any point of time.

(Authorized Signatory)
All Terms and Conditions Read & Signed by me

Chapter – 3

Schedule of Requirement and Technical Specifications

The contractor will ensure and confirm that only new original and genuine equipment/s will be supplied/installed by him.

- a) All equipment's shall be fabricated out of <u>first quality IS-304 food-grade non- magnetic 18/20 gauge Stainless Steel material</u> as per details mentioned in the item descriptions, and all the joinery will be done by argon arc welding duly ground and polished.
- b) Unless otherwise specified in the Schedule of Work/specifications for individual equipment's, all tops of counters and top-shelves shall be made out of 16 SWG Stainless Steel sheet, and all partitions/other-shelves/front panels shall be made out of 18 SWG Stainless Steel sheet and all side panels shall be made out of 18 SWG Stainless Steel sheet. All burners of cooking ranges shall be Indian Oil Corporation's approved burners. All other L.P. Gas parts shall be of branded company/conforming to specifications. All compressors for refrigerators and water-coolers etc. shall be hermetically sealed compressors of branded company.
- c) All legs of tables, racks, etc., shall be made of 38 mm 16 SWG Stainless Steel pipe and cross bracings of 25mm 16 SWG Stainless Steel pipe. All equipments shall be provided with adjustable nylon bullet feet, with a minimum adjustment of 50 mm unless specified otherwise. All angles, bends, channels and other structural shapes used for framing etc., shall be of standard and reputed makes, uniform and ductile, free from scale/rust/checks/any other surface defects. All MS angle frames shall be fabricated from 38x38x5mm.. All MS parts shall be coated with primer and grey hammer tone paint or Aluminium paint. All MS frames shall be fully concealed by SS sheet panelling. All external corners shall be suitably deburred and finished.
- d) The welding of frames and sheets shall be ground to smooth finish; and S.S. Sheet shall be polished in such a manner that joints shall not be noticed by naked eye. All working tops shall be sound dampened by suitable method. All tops, shelves, counters, table-tops, drain-boards, dish-tables, etc., shall be suitably reinforced by SS. Wherever Stainless Steel pipe or tubing is specified, it shall be seamless or welded of specified gauge and of true roundness.
- e) Where equipment is provided with handles, knobs, hinges, brackets, etc., the same shall be either of Stainless Steel or as otherwise specified. All drawers, cabinets, refrigerators, storage-bins, etc., shall be provided with heavy duty, security type's chrome plated cylindrical type locking devices. All SS nuts bolts and screws shall be of concealed type suitably finished.
- f) Unless otherwise specified, all sliding doors shall be removable type and constructed of 18 SWG polished Stainless Steel exterior. Doors shall be of double pan construction, filled with suitable sound-dampener, 12.7mm thick with all corners welded, ground and polished smooth. SS Bolts and screws shall be kept to a minimum and shall be of corrosion resisting metal. Unless otherwise specified all hinged doors for cabinets, counters, etc., to be constructed of 18 SWG polished Stainless Steel front. Hinges, catches and locking devices to be chrome plated brass. Hinges constructions to be so as to eliminate exposed bolts and screw heads. Doors handle to be provided and to be of Stainless Steel heads and flush mounted.
- g) When sinks are specified for tables or counters, they shall be of the same gauge as specified for tops. Cold pans shall be of size and shape as per specifications. Cold pan shall be constructed as integral part

of the unit. Pan shall be constructed of 16 SWG polished Stainless Steel with all sides and bottom insulated with 50 mm thick insulation. All equipments shall be complete in all respects and ready to use to the entire satisfaction of the AIIMS Bhopal, including all accessories fittings etc. Nothing extra beyond the quoted rate/s shall be paid by the AIIMS Bhopal.

- h) All electrical equipments and electrical part(s) of the equipments shall be of ISI mark/ makes. All connecting wires for electrical equipments shall be ISI mark copper conductor three core cables of matching capacity. All equipments shall be pre-plumbing tested for electrical insulation and earthling. Superior satin (matt) finish polish required on all the equipments. All materials shall be supplied and Installed by the contractor from the reputed manufacturer and as per IS requirements in order to ensure proper and consistent quality.
- Connections, Orientation of equipments/burners to be provided/terminated till Gas Pipe/Cylinder bay feeders planed and bidders are expected to be coordinated with other Agencies, if engaged by AIIMS Bhopal, as and how needed for making operational the facility.
- j) For all Equipment, where the SS will used, the quality of SS Material required shall be as mentioned below: Stainless Steel Grade 304 Top 16 Gauge, Side 18 Gauge, any type of angles or rod etc must be Stainless Steel. The Stainless Steel should be non-corrosive and non-magnetic. Edges of the equipments should

be rounded. In electrical equipments wires, plug and sockets and elements must be ISI mark. In case of any compressor or motors etc must be well reputed company in Indian market.

- k) SS should be of make Salam steel, Jindal steel or equivalent.
- I) All the Plumbing fittings be of make Jaugur, Plumber, Mark, Parko or equivalent.
- m) Electrical Equipments like switches, motor, cable etc Kirlosker, Siemens, Crompton Greave. Switches Anchor, Havel's or equivalent.

Sr. No.	Description/Technical Specification	Size of Equipment	Qty.	Unit
		(in mm)		
1	Storage Bin	400×600×750 mm	One	No
	Width 400×depth 600×hejght 750 mm all body made			
	up of 18 gauge SS sheet with all corners coved 20 mm			
	radius body shall be secured to 25 mm×25mm×3mm			
	thick SS welded angle boxed frame work, half opening			
	insulated Lid with SS rod handle/integral handle.			
	Corner bumper onall four sides 4 Nos. 102 mm dia.			
	Castor two with brakes. All sheets/pipes SS 304 grade			
	pre polished plastic coated.			
	PREPARATION AREA			
2	Working table with sink having width 1600mm ×	1600×600×850	One	No
	depth 600×height 850+150 mm made of 16 gauge SS	+150 mm		
	top, 150mm high rear & left splash, Top secured to			
	38mm × 38mm ×3mm thick SS welded angle frame			
	work. Left side of unit one no. 450 mm×450mm			
	×200mm deep 16 gauge SS Sink Sink with complete			
	with 50mm dia. Lever handle operated waste outlet &			
	rear connected overflow. Having 4 Nos. 38mm dia. SS			
	legs with adjustable bullet feet. With 25 mm dia. SS			
	pipe cross bracings welded to legs at rear & both sides			
	front open. With 1No deck mounted "Parko make"			
	swivel type water mixer faucet. All sheet/Pipe SS 304			

	grade pre polished plastic coated.			
3	Wall Shelf	2200×300 mm	One	No
	Width 2200× depth 300 mm nade of 18 gauge SS wall			
	shelf Rear & both sides turned up 50mm & hammed			
	outside front turned down 38 mm & in 12 mm. Shelves			
	secured to bracket with acorn SS nuts & bolts. 14			
	gauge SS wall brackets, secured to top with acorn nuts			
	& bolts & brackets secured to wall with anchor			
	fasteners. Having mounting height 1500 mm A.F.F. All			
	sheet/pipe SS 304 Grade pre polished plastic coated.			
4	Vegetable Cutter	300x380x330 mm	One	No
	Size with width 300 mmx depth 380 mmx height 330			
	mm table top model of SS body, Fan cooled, heavey			
	duty Belt drive, automatic restart of machine including			
	pusher feed head with tube suitable for functions of			
	preparation as slicing, mineing, grating, shredding, and			
	cutting in to chips or cubes of different shapes with			
	·			
	two separate safety switch to stoip the machine with accessories 3 NosDieing grid of 5 mm,One No			
	corrugated blade of 3 mm, Two Nos of grating disc of 2			
	mm& 4 mm, Two Nos grid for cutting chips of 6 mm &			
	10 mm Two Nos of polycarbonate trays, SS disk rack			
	for holding the blades 2 Nos. Preferred make & model			
	Robot coupe -CL-50E, Sirman TM-2 Inox, Electrolux TRS			
	or any other equivalent make of reputed			
	manufacturer.			
5	Work table with 2U/S	1650 × 600 ×850 mm	One	No
	Size width 1650 mm × depth 600 mm ×height 850 mm			
	made of 16 gauge SS top having rear & left side 150			
	mm high splash with top secured to 38 mm × 38 mm ×			
	3 mm thick SS welded angle frame work having full			
	width of 18 gauge SS bottom & intermediate shelves.			
	Top & under shelves sounded with SS hat channel with			
	4 Nos 38 mm dia. SS legs with adjustable bullet feet.			
	All sheet/pipe SS 304 Grade pre polished plastic			
	coated.			
6	Work table with 2U/cross bracing	1200 × 450 ×850 mm	One	No
	Size width 1200 mm × depth 450 mm ×height 850 mm			
	made of 16 gauge SS top having rear & left side 150			
	mm high splash with top secured to 38 mm × 38 mm ×			
	3 mm thick SS welded angle frame work having 25 mm			
	×25mm SS Square pipe rear & both side cross bracing			
	front open. with 4 Nos 38 mm×38 mm SS legs with			
	adjustable bullet feet. Under side of top should be			
	sounded with SS hat channel. All sheet/pipe SS 304			
	Grade pre polished plastic coated.			
7	Wall Shelf	1200 × 300 mm	One	No.
′	Size width 1200× depth 300 mm made of 18 gauge SS	1200 ^ 300 111111	One	INO.
	wall shelf Rear & both sides turned up 50mm &			
	hammed outside front turned down 38 mm & in 12			
	mm. Shelves secured to bracket with acorn SS nuts &			
	bolts. With 14 gauge SS wall brackets, secured to top			
	with acorn nuts & bolts & brackets secured to wall			

	with anchor factories Having marrating beight 4500		1	
	with anchor fasteners. Having mounting height 1500 mm A.F.F. All sheet/pipe SS 304 Grade pre polished plastic coated.			
8	Pulveriser of 3 HP AII ss 18 Gauge Constructions & covering. 04 nos SS sq pipe legs with nylon bullet feet. Unit with 3HP Crompton motor. All sheet/pipe SS 304 Grade pre polished plastic coated DISH WASH AREA		One	No
9	Dish Lamding Table W/ Garbage Chute of size width 2100×Depth 600×Hight 850 + 150 made of 14 gauge SS Top front end both sides turned up 25mm returned 40mm turned down 50mm and in 12mm with having 150mm high rear splash. Top secured to 38mm × 38mm ×3mm thick SS welded angle frame work with 150mm dia × 100mm high garbage shute at right side having 4 numbers 38mm dia SS legs with adjustable bullet feet. Having 25mm dia SS pipe cross bracing welded to legs at rear and both sides having 700mm × 100mm×40mm high with 16 gauge SS trough with SS anti Splash grating at left Side. All sheet/pipe SS 304 Grade pre polished plastic coated.	2100×600×850+ 150mm	One	No.
10	Garbage bin Size width 483mm× depth 390mm × height 640mm having capacity 70LTRS made of 18 gauge SS wall's.	483× 390 × 640 mm	One	No.
11	Two unit pre wash sink Size width 1100mm×750mm×hight 850+150 mm. Made of 16 gauge assist top with 150mm high rear side splash front sides turned up 25mm returned 40mm down 50mm and in 12mm. Top secured to 38mm×38mm×3mm thick SS frame work having center of the unit by providing two numbers 500mm ×500mm× 250mm deep made of 14 gauge SS sink's complete with 50mm dia liver handle operated waste outlet and rear connected overflow left side suitable for dish washer machine having four numbers 38mm×38mm 16 gauge SS square pipe legs with adjustable bullet feet by providing 25mm × 25mm SS pipe cross bracing welded to legs at rear and both sides. With 20 gauge SS apron front of sink having two numbers 20 gauge SS 50mm high removable	1100×750× 850+150mm	Two	No.

		<u> </u>		
	perforated strainer basket with handles with two			
	numbers deck mounted Jacksons make swivel type			
	water mixer faucet or approved equal. All sheet/pipe			
42	SS 304 Grade pre polished plastic coated.	CEO 700 4000		
12	Hood type dishwashing machine	650×760×1900 mm	One	No
	Size width 650mm ×760mm × height 1900mm having			
	capacity 30 to 60 rack per hour able to run at speeds			
	at the capacity of 30 racks per hour and 60 racks per			
	hour as per DIN Standard with booster heater unit			
	suitable to handle 500 × 500 racks full made of SS			
	construction Single button operation Smartronic with			
	color coded status indication and remaining cycle time			
	with electronic control suitable for operation on			
	incoming hot water sanitizing @ 140 OF with SS back			
	cover of machine automatic hot water fill with strainer			
	control, strainer soil sensor and zero level chemical			
	sensor. The unit should be equipped rise pressure			
	pump drain pump and with rise agent dispenser. Tank			
	should be with rounded edges should be with self			
	cleaning cycle heater with thermostat control 200mm high adjustable SS legs with accessories peg type			
	500mm × 500mm molded plastic plate racks 10			
	Number. Open pocket cutlery racks four numbers.			
	Combination 25 compartment cup/glass rack eight			
	numbers. Combination 36 Compartment cup/glass			
	rack's eight numbers. Hoses for detergent and rinse			
	agent.			
13	Clean dish Table	750×750×850	One	No.
	Size width 750mm × 750mm × height 850+150 mm.	+150 mm		
	Made of 14 gauge SS top Front turned up 25mm			
	returned 40mm turned down 50mm and in 12 mm			
	with 150mm high rear and left side splash right as per			
	dishwasher . Top and body secured 38mm × 38mm ×			
	3mm thick SS welded angle frame work having four			
	numbers 38 mm dia SS legs with adjustable bullet feet.			
	Full width stripped type made of 18 gauge bottom and			
	intermediate cells. All sheet/pipe SS 304 Grade pre			
	polished plastic coated.			
	COOKING AREA			
14	Working table with middle and bottom shelf having	350×750×850	One	No.
	size width 350mm × 750mm × Height 850+150mm	+150 mm		
	made of 16 gauge SS top with 150 mm high rear side			
	splash. Top secured to 38mm × 38mm × 3mm thick SS			
	welded angle frame work with 38mm× 38mm SS			
	square legs with adjustable bullet feet having 25mm ×			
	25mm SS square pipe middle and bottom self with			
	100mm rear legs set back for gas pipe routing.			
	All sheet/pipe SS 304 Grade pre polished plastic			
4.5	coated.	750,750,050		
15	Dosa plate half ribbed	750×750×850 mm	One	No.
i				
	Size width 750 mm× deph750 mm× height 850 mm			

				,
	welded angle frame work. Exterior be 18 gauge SS cladding built in pressure controller regulator, with 38 mm ×38 mm with 16 gauge SS square pipe legs with SS adjustable bullet feet. Having 100 mm rear legs setback for gas pipe line routing with 25mm ×25 mm SS square pipe4 under shelf. Full width×650 mm ×20mm thick MS griddle plate with front gutter & SS grease drawer. Having two No "V" type HP burner with pilot lamp. All sheet/pipe SS 304 Grade pre polished plastic coated.			
16	Two Burner range	1100 ×750 ×850	Two	No.
	Size width 1100 mm ×depth 750 mm×850 mm made of 16 gauge SS top with 150 mm high rear side splash. Top secured 38mm ×38mm×3mm thick SS welded angle frame work having exterior 18 gauge SS cladding. Having 25mm×25mm SS square pipe under shelf with two Nos. 400mm ×400 mm cast iron grate (Removable) having two Nos HP burner 70000 BTU with separately pilot lamp. Having two Nos 18 gauge drip tray with integral handle. Built in pressure controller regulator. Auto ignition. Having 38mm×38mm SS square pipe legs with adjustable feet with 100	mm+150		
	mm rear legs setback for gas pipe line routing. All			
17	sheet/pipe SS 304 Grade pre polished plastic coated.	CEO	One	No
	Work table Size width 650 mm×750 mm ×850mm + 150mm mad1100 mm ×depth 750 mm×850e of 16 gauge SS top with 150 mm high rear side splash. Top secured 38mm ×38mm×3mm thick SS welded angle frame work with 38 mm ×38 mm with 16 gauge SS square pipe legs with SS adjustable bullet feet having 25 mm SS square pipe cross bracing at rear and both sides front open. With 100 mm rear legs setback for gas pipe line routing. All sheet/pipe SS 304 Grade pre polished plastic coated.	650 mm ×depth 750 mm×850 mm		NO
18	Work table with middle & bottom shelf Size width 300 mm× depth 750mm × height 850 mm made of 16 gauge SS top having 150 mm high rear side splash. Top secured 38mm ×38mm×3mm thick SS welded angle frame work with 38 mm ×38 mm with 16 gauge SS square pipe legs with SS adjustable bullet feet having 25 mm ×25 mm SS square pipe middle & bottom shelf. With 100 mm rear legs setback for gas pipe line routing. All sheet/pipe SS 304 Grade pre polished plastic coated.	300 × 750× 850 mm	One	No
19	Work table with idle & bottom shelf	400 ×750× 850 mm	One	No.
	Size width 400mm ×depth 750 mm× height 850 mm made of 16 gauge SS top having 150 mm high rear side splash. Top secured 38mm			

		1	1	
	×38mm×3mm thick SS welded angle frame work			
	with 38 mm ×38 mm with 16 gauge SS square pipe legs			
	with SS adjustable bullet feet having 25 mm ×25 mm			
	SS square pipe middle & bottom shelf. With 100 mm			
	rear legs setback for gas pipe line routing. All			
	sheet/pipe SS 304 Grade pre polished plastic coated.			
20	Chapatti plate with puffer	1000 ×750 ×850 mm	One	No.
	Size 1000 mm width×750mm depth ×850mm			
	height made of 16 gauge SS top. Having 150 mm			
	high rear side splash. Top secured 38mm			
	×38mm×3mm thick SS welded angle frame work			
	Exterior be 18 gauge SS cladding built in pressure			
	controller regulator, with 38 mm ×38 mm with 16			
	gauge SS square pipe legs with SS adjustable bullet			
	feet. Having 100 mm rear legs setback for gas pipe line			
	routing with 25mm ×25 mm SS square pipe under			
	shelf with 700mm ×650mm ×20mm thick MS plate with front gutter & SS grease drawer. Having Two Nos.			
	"V" type HP burner under hot plate with pilot lamp			
	individual needle control valve with One No. "V" type			
	LP burner under puffer with pilot lamp with individual			
	needle control valve. All sheet/pipe SS 304 Grade pre			
	polished plastic coated.			
21	Atta / Maida Bin	400 ×600 ×750mm	One	No.
	Size 400 mm width ×600mm depth×750mm			
	height full body made of 18 gauge SS sheet with			
	all corners coved 20 mm radius with half opening			
	insulated Lid with SS rod handle /integral handle			
	having corner bumper on all four sides with four			
	Nos 102 mm dia. Castor, two with breaks. All			
	sheet/pipe SS 304 Grade pre polished plastic coated.			
22	SS Tandoor	750X750X850	One	No
	SS mobile Tandor of size with width 750 mm x	X150 MM		
	depth 750mmx height 850 mm +150 mm of 16			
	gauge SS top, 150 mm high rear side splash			
	commercial grade heavy duty tandoor			
	approximate 650 mm dia x 700 mm height with			
	300mm dia mouth with SS lid Top & body secured			
	to 38mmx38 mmx3 mm thick SS welded angle			
	frame work, Exterior 18 gauge SS cladding,			
	Interior 18 gauge MS cladding 40 mm thick			
	mineral wool insulation, front SS ash removable			
	opening with shutter with 4 Nos heavy duty 125			
	mm dia non marking rubberized castors all with			
	breaks with accessories Steel cover, skewers, Jodi,			
	Cushion. All sheet / pipe SS 304 grade pre-			
	polished plastic coated.			
23	Under Counter Refrigerator	1795×700 × 860 mm	One	No
	Size 1795 mm width×700 mm depth× 860 mm	1755A700 A 000 HIIII		
	height of capacity 417 Ltrs. Made of 16 gauge SS			
L	Theight of capacity +17 Ltrs. Made of 10 gauge 33			

	top unit with exterior / interior made of 20 gauge			
	SS 304 cladding. Top & body secured to 38mm ×			
	38mm ×3 mm thick SS welded angle frame work			
	with forced draft cooling having 0.75 HP kirloskar			
	compressors with 3 Nos insulated door with door			
	activated light. Compressor location at left side,			
	having 4 Nos 38 mm Dia SS legs with adjustable			
	bullet feet. All SS 304 grade material plastic			
	coated. Make & Model:- (1) SINOWEAR-THP 3100-			
	TN (2) ELAN PRO EGN 3100 (3) CELFROST GN 3100			
	– TN. OR any other Equivalent make & model			
24	Over Head Self with Food warmer	1795X300X650 mm	One	No
	Over Head Shelf with Food warmer of size			
	1795mm width×300 mm depth× 650mm height			
	made of two 18 gauge SS over shelf, mounted at			
	300 & 650 mm. Having above working top. Upper			
	shelf unit with infra red food warmer. Upper OHS			
	KOT holder to be provided. SS body insulated with			
	glass wool. 1.5 K.W. heating element operated at			
	220v-50c-1 phase, control panel complete with			
	Thermostat. With On Off switch, red light &			
	controls. Suitable to mount Upper shelves of food			
	pick up counters. All sheet/pipe SS 304 Grade pre			
	polished plastic coated.			
25	Under counter Refrigerator	1795×700	One	No
	Size 1795mm width×700 mm depth×860 mm	×860 mm		
	height made of 16 gauge SS top unit with rear &			
	right splash. Exterior/interior of 20 gauge SS 304			
	cladding. Top & body secured to 38 mm×38 mm ×			
	3mm thick SS welded angle frame with forced			
	draft cooling. Having 0.75 HP, Kirloskar			
	compressors with 3 Nos insulated door with door			
	activated light. Compressor lacationbe at left side			
	with 4 Nos 38 mm Dia. SS legs with adjustable			
	bullet feet. All SS 304 material plastic coated.			
	Make & Model:- (1) SINOWEAR-THP 3100- TN (2)			
	ELAN PRO EGN 3100 (3) CELFROST GN 3100 – TN.			
	OR any other Equivalent make & model.			
26	Over Head shelf	1795 ×300 ×600 mm	One	No.
	Size 1795 mm ×300 mm depth ×600 mm height			
	made of one 18 gauge SS over shelf mounted at &			
	600 mm above working top splash mounted shelf.			
	Fixed with 25 mm × 25mm SS square pipe Suitable			
	to mount upper shelves of under counters. All			
	sheet/pipe SS 304 Grade pre polished plastic			
27	coated.	047.774		
27	Combi Oven With Stand	847×771	One	No.
	Size 847 mm width×771 mm depth×757 mm height having capacity 6*1/1 GN Pans electrical operated.	×757 mm		
	THE PARTICLE AND ALL OF THE PARTY OF CHARTER AND CATALON		i .	1

	Stainless steel 304 throughout, with seamless joints in the cooking cell. With adjustable legs 120-160 mm. Double thermo-glazed door equipped with drip pans to catch condensate having in-built boiler. Having fan auto reverse. Oven light with shock resistant glass cover automatically steam generator & should be programmable, having access to main components from the front panel. The unit must have full, half speed and HOLD (pulse ventilation for baking and low temperature cooking), its exhaust valve electronically controlled to extract the excess humidity. Able to set a time to delay the start of cooking programs or to program a break between two cooking cycles. With all accessories for Automatic cleaning program, Core temperature sensor, Retractable hand shower. SS			
	stand with castors and under tray storage.			
28	Work Table with U/S Size 1200 mm width ×850 mm depth × 850 mm + 150 mm height having 150 mm high rear & right splash. 16 gauge SS top. Unit body shall be secured to 38 mm × 38 mm × 3 mm thick SS welded angle frame work. Having underside of top with SS hat type welded channel frame work. Full width of 18 gauge SS bottom & intermediate shelves. With 4 Nos 38 mm × 38 mm made of 16 gauge SS square pipe legs with adjustable bullet feet. All sheet/pipe SS 304 Grade pre polished plastic coated.	1200×850 × 850 mm + 150 mm	One	No.
29	Two door Freezer Size 740mm width× 830mm depth× 2010mm height of capacity 610 Lrts With exterior interior made of 20 gauge SS cladding with 50 mm thick puff insulation. Having internal temp18 Deg. To -20 Deg. To be maintained. Having 18 gauge GA SS two half size insulated self closing type SS doors complete with handle, gasket & locking arrangement, with four wire shelves removable SS welded wire. Door activated lights for each compartment. With 0.75 HP Kirloskar compressor & controls. 150 mm high counter type SS adjustable feet 4 Nos.having forced draft cooling with fan. Bottom of internal storage pitched to & provided with 25 mm dia. Waste outlet. Having 18 gauge GA,SS perforated false bottom with 4 Nos. 38mm ×38mm of 16 gauge SS square pipe legs with adjustable bullet feet. Make & Model:- (1) SINOWEAR-THL 650- BTM (2) ELAN PRO RL550C (3) CELFROST GN600 DTV. OR any other Equivalent make& model.	740× 830× 2010 mm	Two	No

	I			l
30	Hand Wash	500× 450 × 200 mm +	One	No.
	Size 500mm width× 450mm depth × 200 mm + 150	150 mm.		
	mm height of 18 gauge SS top having 150 mm high			
	rear splash, front & free side marine edge. Having 350			
	mm dia. × 20 mm high Die pressed sink complete with			
	38 mm Dia. CP drain waste outlet. With No. 16 gauge			
	SS wall brackets secured to top with acorn nuts & bolts			
	& bracket secured to wall with anchor fasteners.			
	Having rear & both sides 20 gauge SS apron with			
	battery operated sensor activated water faucet. Unit			
	mounted 865 mm AFF. With accessories cap stand,			
	soap dispenser & paper dispenser to be provided by			
	supplier. All sheet/pipe SS 304 Grade pre polished			
	plastic coated.			
31	PANTARY AREA	1800×700×850	One	No.
31	Beverage Table with sink & trough of size 1800 mm	+150 mm	One	INO.
		+130 11111		
	width × 700 mm depth × 850 mm height + 150 mm			
	made of 16 gauge SS top having 150 mm high rear &			
	left side splash. Top secured to 38 mm×38mm ×3 mm			
	thick SS welded angle frame work with left of unit one			
	No 450 mm × 450 mm ×200 mm deep of 16 gauge SS			
	sink. Sink complete with 50 mm dia. Lever handle			
	operated waste outlet & rear connected overflow			
	having Six Nos 38 mm× 38 mm SS square pipe legs			
	with adjustable bullet feet. Having 25 mm ×25 mm SS			
	square pipe cross bracing at rear & both sides below			
	the sink. With 1200 mm long × 100 mm × 40mm deep			
	of 16 gauge GA, SS trough with SS perforated			
	antisplash grating & drain. With 20 gauge GA Ss			
	cladding in front of sink having part width of 18 gauge			
	SS bottom shelf with one number deck mounted			
	"Make-Parko Make" swivel type water mixer faucet or			
	approved equal All sheet/pipe SS 304 Grade pre			
	polished plastic coated.			
32	Wall Shelf	1800×300 mm	One	No.
	Size 1800 mm width×300 mm depth of 18 GA SS wall			
	shelf having rear & both sides turned up 50 mm &			
	hemmed out side front turned down 38 mm & in 12			
	mm. With shelves secured to bracket with acorn SS			
	nuts & bolts having No. 14 gauge Ss wall brackets,			
	secured to top with acorn nuts & bolts & bracket			
	secured to top with acom hats & boits & bracket secured to wall with anchor fasteners mounting height			
	1500 mm AFF. All sheet/pipe SS 304 Grade pre			
	polished plastic coated.			
33		570×510×495 mm.	One	No
33	Two Group Coffee Machine with grinder	J/U^J1UX433 IIIIII.	One	INU
	Size 570 mm width×510 mm depth × 495 mm height.			
	Automatic espresso coffee machine equipped with a			
	micro-processor for an easy programming of coffee			
	dosage with push button panels with immediate and			
	precise electromechanical buttons and LED, with two			
	multi directional stainless steel steam wands with one			
	stainless steel hot water wand. Steam delivery control			
	taps with reduced rotation with improved accessibility			
	to internal parts with sleek & refined modern look			

	stainless steel and matt black body. Make & model			
	preferably (1) FIAMMA-ATLANTIC II CV & GRINDER			
	MCF-9 (2) LA CIMBALI-M-24 & GRINDER MAGNUM (3) WMF 1200 S OR any other Equivalent make &			
	model.			
	model.			
34	Milk Water Boiler	250×350mm of 8		
	20 Guage SS exterior internal water boiler tank of 18	liters.		
	GA SS with water boiler tank of internal size 250 mm			
	dia. × 350 mm. of 8 liters capacity double jacketed,			
	thermostatic cu-off for 80 deg. C with low water power cut off having one No. SS self closing faucets			
	with one No. water level indicator sight glass with			
	power cord on – off switch electric 220 V-50 C-1			
	phase, water filter connection with float valve shut off.			
	All 304 SS construction suitably insulated with 1" thick			
	tightly packed glass wool and reinforced internally.			
	Provided with SS insulated lid top. Faucets shall be			
	fitted so as to ensure 12" height clearance below spout. Model & make preferably (1) ANIMO-mw 5 (2)			
	FIAMMA- tlf-6 (3) CECILWARE-ME10EN ORany other			
	Equivalent make & model.			
35	Under Counter Prep	1365×700×900 mm.	One	No.
	Size 1365 mm width× 700 mm depth×900mm			
	height of capacity 240 ltrs of 16 gauge SS top with			
	SS 304 interior and exterior with two No 1,2 mm			
	thick door with integral handle opening suitable			
	for GNpan, ambient temperature 43 deg C with			
	internal temperature 0 deg. C to 4 deg. C, Air			
	cooled refrigerant gas R-134 A. With door			
	activated lights with two Nos SS wire shelves			
	behind each door having 0.5 HP kirloskar			
	compressor, located at right side. Digital read out			
	thermometer, cord with time delay auto start			
	with forced draft cooling. With 50 mm thick PU foam on all sides, with drip tray with heating for			
	condensate water evaporation with top of unit			
	provide cut out as per as GN 1/6 pan. Elactric			
	power 0.75 HP voltage 220 with accessories 1/6			
	size gastronome pans with lids. All sheet/pipe SS			
	304 Grade pre polished plastic coat Model & make			
	preferably (1) SINOWEAR- THPS-200/300 (2) ELANPRO-			
	EPS-300. OR any other Equivalent make& model.			
36	Hot & Cold Bain Mariewith front curve glass size	2100×700	One	No
	2100mm width × 700 mm depth × 850 mm height	×850 mm		
	of 16 gauge SS top having top and body secured			
	to 38 mm × 38 mm × 3 mm thick SS welded angle			
	frame work. With one No. hot tank approx. 1250			
	mm×510mm ×250mm deep of 16 gauge Ga SS			
	bain Marie complete with water inlet out let3.0 KW heating element & one No cold tank approx			
	The realing element of one indicate rank approx			

40	Grade pre polished plastic coated. Providing & fixing in position Exhaust Hood	3750x2100x500 mm	ONE	NO
	mirror finish to be provided. All sheet/pipe SS 304			1
	·			
	water evaporation. With all exterior visible SS			
	light with drip tray with heating for condensate			
	humidity control, with temperature display LED			
	arrangement as per ID or lighting consultant with			
	interiors to be of SS forced draft cooling. Light			
	tempered. With internal temp +3 Deg. C to + 14 Deg. C with two Nos full length glass shelf with all			
	glazing glass fronts and slides to be heated and			
	height of 20 gauge SS 304 body with double			
	Size 1200mm width×700 mm depth×1350mm			
39	Cold Display Counter	1700×100 ×1330 [[][[]	One	No
39	plastic coated.	1200×700 ×1350 mm	Onc	No
	channel. All sheet/pipe SS 304 Grade pre polished			
	reinforced W/25×100×25 16 gauge SS inverted			
	castors all with brakes. Under sides of top shall be			
	heavy duty 125 mm dia non marking rubberized			
	hemmed out side welded to SS legs. With 4 Nos			
	gauge SS pan with all sides turned up 100 mm &			
	mm dia up rights on castors with two Nos 18			
	of 16 gauge SS top channel shape with 4 Nos 38			
	Size 900 mm width×600mm depth×900mm height	111111		
30	Mobile Bussing Cart	mm	One	INU
38	any other Equivalent make & model.	900×600×900	One	No
	MASTER- RFS518TS (2) FIAMMA-MW38104 OR			
	door opening. Preferred models (1) MENU			
	clean filter reminder see through door with pull			
	programmable with removable airs filter with			
	with count down timer with two magnetron			
	inter & exterior SS construction with digital play			
	height of capacity 38 ltrs. Having counter top with			
	Size 550 mm width×514 mm depth× 314 mm			
37	Microwave Oven	550×514×314 mm	One	No
27	sheet/pipe SS 304 Grade pre polished plastic coated.	FF0F14244	One	Ne
	20 gauge SS hinged door with handle. All			
	sides 20 gauge Ga SS cladding. Rear of unit w/four			
	width 18 gauge Ga SS bottom shelf, rear and both			
	low water automatic shut-off valve. With full			
	guard constrcted as per standard drawing with			
	adjustable bullet feet. Having full width sneeze			
	indicator with 6 Nos 38 mm dia. SS legs with			
	complete with thermostat on off switch & light			
	type glass wool insulation. Having electrical panel			
	suitable to fix 2 No 1/1 gn pan with 25 mm box			
	normal emmersion comp. refrigerated cold tank			
	suitable to fix 2 No 1/1 gn pan with 25 mm box			

	Size 3750x2100x500 mm having width 3750 mm x			
	depth 2100 mm x height 500 mm as per			
	instruction of Engineer - in -charge made of 18			
	gauge welded body construction, mounted above			
	double line cooking battery on 2100 mm AFF Built			
	in four section with common plenum chamber,			
	removable 18GA SS "V" section measuring			
	510*510*50mm thick in full length w/bottom of			
	filters set in continous channel, grease gutter on			
	rear and side in each piece, appropriate of			
	numbers of flushed incandescent with heat			
	toughened glass, lights, diffusing glass to provide			
	600 lux of light through -out the hood, wiring in			
	heat proof conduits, to be suspended on ceiling			
	with hanger rods, height/ exhaust/fresh air duct			
	collar size, shape and quantity to be varify			
	site/coordinate HVAC consultants. All sheet/pipe			
	SS 304 grade pre-polished plastic coated.			
41	Providing and fixing in position Exhaust Hood (Island	1000x1000x500 mm	ONE	NO
	Type)	1000/1000/1000	0112	
	Size 1000x1000x500 mm having width 1000			
	mmxdepth 1000 mm x height 500 mm as per the			
	instruction of the Engineer-in-charge made of 18			
	gauge welded body construction, mounted above			
	single line cooking battery on 2100 mm AFF,			
	removable16 GA SS "V" section measuring			
	510*510*50 mm thick in full length w/bottom of filters			
	set in continous channel, grease gutter on rear and			
	side in each piece appropriate of numbers of flushed			
	incandescent with heat toughened glass, lights,			
	diffusing glass to provide 600 lux of light through -out the hood, wiring in heat proof conduits, to be			
	suspended on ceiling with hanger rods, height/			
	exhaust/fresh air duct collar size, shape and quantity			
	to be varify site/coordinate HVAC consultants. All			
	sheet/pipe SS 304 grade pre-polished plastic coated.			
42	Providing and fixing in position Exhaust Hood (Island	900x900x500 mm		
	Type)			
	Size 900x900x500 mm having width 900 mmxdepth			
	900 mm x height 500 mm as per the instruction of the			
	Engineer-in-charge made of 18 gauge SS welded body			
	construction, 500x500 opening with sliding damper,			
	height / exhaust collar as per HVAC consitant, MS			
	hanger rod with turn buckles for hanging, SS grease drawerwith handle. All sheet/pipe SS 304 grade pre-			
	polished plastic coated.			
43	Providing and fixing in position LPG GAS ERW Pipe	LUMPSUM 1800 PER M.	25 MTS	Mts.
.5	Line	23.711 33171 1000 1 EIX IVI.		14163.
	As per the instruction of the Engineer-in-charge			
	including manifold valev, emergency valve, non return			
	valve, brass coupling cylinder adopter & all fittings &	İ	1	1

	support, holder etc. to make line fully functional (testing & commissioning) including cage for 10 commercial cylinders			
44	Exhaust Duct Exhaust Duct of 18 gauge SS 304 of rectangular size 300x450 mm including blower at terrace level to make assess for smoke/vapour etc by providing all suitable electrical connections with cables, switches with all support structures with testing /functioning /commissioning etc complete(cost of air washer and blower will be paid separately).		90.00	Sqm
45	Providing & fixing SS drain size 300 mm wide x 40 mm deep vertical edge duly grove to receive slotted design 12 x 200 mm covers 16 SWG SS sheet as per lay out plan& site conditions. Covers should be 600 mm long so that they can be removed easily for cleaning the drain necessary arrangements for ensuring proper fixing in grove shall be made. The item is inclusive of all types of works and completing in all respect with all materials etc.	300 x 40 mm	10 mts.	Per mts.

L1 for Items from 1 to 45 will be single manufacturer i.e. **Grand Total for Item No 1 to 45** (see chapter-7), bidder has to quote all items otherwise bidder will be treated as rejected.

The Technical Bid & Financial Bid should be kept in two separate sealed envelope superscripting with" Technical Bid for Supply, Installation, Testing and Commissioning of Kitchen Equipment for AIIMS Bhopal' and "Financial Bid for Supply, Installation, Testing and Commissioning of Kitchen Equipment for AIIMS Bhopal' otherwise the Tenderer bid will be rejected.

Chapter - 4

TECHNICAL BID

(It is mandatory for all Bidders; they should fill all fields "Clearly" in this form)

	2013-2014		
	2012-2013		
	2011-2012		. ,
	Financial Year Amour	nt (Rs. Lakh)	Remarks, if any
10.	Financial turnover of the tendering Conseparate sheet if space provided insufficient		for the last three financial years : (Attach
9.	Details of EMD	:	
8.	Details of Cost of Tender	:	
7.	PAN, TIN, TAN, VAT, Service Tax Registration No of the Firm (Enclose a copy of the same)		
6.	Bank Ac/s No. of Firm for ECS payments	:	
	E-mail Id of Banker	:	
	Fax Nos. of Banker	:	
	Telephone Nos. of Banker		
5.	Details of Banker of the Firm with full address		
	E-mail Id	:	
	Fax Nos.	:	
	Telephone Nos.	:	
4.	Full Address of Reg. Office (A copy of Company/ Firm/ Agency registration must be enclosed)		
3.	Name of proprietor / Director of the Company/Firm/Agency	:	
2.	Name of Company/Firm/Agency and its Registration No.	:	
	For Supply, Installation, Testing and Com Bhopal-462024 (MP)		

The tenderer should also submit self-attested copies of the Income Tax Returns and Audited certified Accounts for the last three financial years (i.e. for 2010-11, 2011-2012 and 2012-2013).

11. Give details of major contracts handled by the tendering Company / Firm / Agency for the last three years in the following format (enclose theself-attested copies):(if the space provided is insufficient, a separate sheet may be attached)

S.No.	Details of client along with	Amount of	Duration of	f Contract
	address, telephone numbers and Fax numbers	Contract (Rs. in Lakh)	From	То
1				
2				
3				

- 12. Declaration letter on the letter head of the Company to the effect that they are participating in the bid for the Total Kitchen Equipment Work Package in the AIIMS Bhopal, Saket Nagar, Bhopal
- 13. Certification asked in the technical bid i.e. in Chapter 2 Terms & Conditions&Chapter-3 (attach proof)

		(Signature of authorized person)
Date :	Full Name:	
Place:	Seal:	

CERTIFICATE

1.	l,	Son	/	Daughter	/	Wite	of
	Shri			uthorized sign		the agency,	/Firm,
	mentioned above, is competent to sign the	his declaration and	execute thi	s tender docum	ient;		
2.	I have carefully read and understood all t	:he terms and condi	itions of th	e tenderand un	dertake t	o abide by th	iem;
3.	The information / documents furnished my knowledge and belief. I / we, am / fabricated document would lead to rejeunder appropriate law.	are well aware of	f the fact	that furnishing	of any fa	ılse informa	tion /
4.	I, do hereby declare that the our firm ha an affidavit duly notarized on Stamp P pending against the firm) by any of the contracted for Supply, Installation, Test years nor has been penalized by such Off	aper Worth of Rs. e Govt. Institute/Mi ing and Commission	100/-) sta nistries/De oning of Ki	ting that no cr partments/PSU tchen Equipme	riminal/Bl Is with w nt etc. d	ack listing c hich the firr uring the las	ase is n had
				(Signa	iture of a	uthorized pe	erson)
	Date:	Full Nar	me:			_	
	Place:	Seal:				_	

Chapter-5

CHECK LIST OF DOCUMENTS TO BE SUBMITTED ALONG WITH THE TECHNICAL BID and FINANCIAL BID

DOCUMENTS REQUIRED TO BE SUBMITTED WITH TECHNICAL BID:-

- 1. The Cost of Tender Document enclosed in the form of Demand Draft of Rs. 1,050/-(One Thousand Fifty only) (Non-Refundable) from any Nationalized Bank in favour of "Director, AllMS Bhopal" payable at Bhopal and must accompanied with Technical Bidif the tender document downloaded from the website.
- 2. The amount of Earnest money deposit is of Rs. 50000/- (Rupees Fifty Thousand Only) in the form of Demand Draft from any Nationalized Bank in favour of "Director, AllMS Bhopal", payable at Bhopal and must accompanied with Technical bid.
- 3. Detailed Technical Specification along with supporting Product Catalogue/Broacher of each of the Item, quoted by the Bidder.
- 4. Technical bid Form duly Filled, Signed & Stamped.
- 5. Un-priced duly signed stamped List of Items for those items bidder interested to participated under this tender must be accompanied with Technical Bid without indicating price) is must be kept in Technical Bid envelope.
- The on-site replacement warranty shall remain valid for a period of <u>36 Months for all the items including</u> installation or as per standard regulation and recommendation for the specified items each from the date of recording of acceptance of goods at AIIMS Bhopal.
- 7. Tender document each page duly Signed, Stamped and page numbering done.
- 8. Proof of Office Address.
- 9. Proof of Bank account Number.
- 10. Attested Copy of PAN, TAN, TIN VAT, Service Tax Registration Number etc.;
- 11. Self-attested copies of the IT returns for last 3 Year's;
- 12. Audited Certified copies of Accounts for last 3 Year's;
- 13. The rates for quoted items shall have quoted in the Format given in Financial Bid (Chapter7) and sealed, signed Financial Bid kept in Financial Bid Envelope separately.
- 14. Attested copy of Three years experience certificate obtained from Govt. Dept./PSU.
- 15. An Affidavit duly Notarized on Stamp Paper worth of Rs. 50/- in clear and un-ambiguous language that the Tenderer has never been black listed/no criminal case pending by any of the organisation with whom, it had dealing for supply of similar items during last five years nor has been penalized for inferior or poor quality in supply must be accompanied with Technical Bid Envelope.

DOCUMENTS REQUIRED TO BE SUBMITTED WITH FINANCIAL BID

16. The tendering Firm/Agency/Company should quote their rates for all the items mentioned in the list and specification laid down in Financial Bid (Chapter-7), failing which their bids shall be out rightly rejected. Financial Bid must be kept in separate sealed super-scribed envelope "Financial Bid for Supply, Installation, Testing and Commissioning of Kitchen Equipment at AIIMS Bhopal".

Chapter - 6

Contract Form (To be made on Rs 100.00 Non Judicial Stamp/E Stamp Paper)

DRAFT AGREEMENT FORMAT

This	agreement is made at Bhopal on theday of Two Thousand fourteen between					
repu	acting through Shri,, All India Institute of Medical itences(AIIMS) Bhopal, Saket Nagar, Bhopal-462024 (MP)(hereinafter called 'Client' which expression shall, unless pugnant to the context or meaning thereof be deemed to mean and include its successors, legal representatives and signs) of the First Part.					
	SECOND PART					
at	having its registered office (hereinafter called the ' Agency ' which expression unless anant to the context shall mean and include its successors-in-interest assigns etc.)Of the <u>Second Part</u> .					
	REAS the 'Client' is desirous to engage the 'Agency' for establishing Supply, Installation, Testing and Commissioning chen Equipment for AIIMS Bhopal as per the terms and conditions stated below:-					
1.	The Registered Office or Branch Office of the Agency should be located preferably in the Bhopal City. The Agency should submit a proof of its office address.					
2.	The selected Agency services would be required to install Supply, Installation, Testing and Commissioning of Kitchen Equipment to All India Institute of Medical Sciences (AIIMS) Bhopal, Saket Nagar, and Bhopal-462024 (MP) on all working days between 09.00 Hrs. to 17.30 Hrs. No separate charges for delivery of goods would be paid by this office.					
3.	Order for items shall be placed on requirement basis. Bills in triplicate for the items supplied by the selected Agency should be raised for payment. Payment shall be released after deducting TDS as per Income Tax Rules and any other deductions as per Government rules and payment shall be released only after it is ensured that the items/quantity and quality of items supplied are to the entire satisfaction of this office. If any items are found to be defective, or not of the desired quality etc., the same shall be replaced by the selected Agency immediately for which no extra payment shall be made.					
4.	If the selected Agency fails to deliver Kitchen Equipment or replace the defected/spurious items within the stipulated date & time, a penalty on daily basis for delay @ Rs. 500/- (Five Hundred) on per day basis, subject to maximum of Rs. 5000/- per item as penalty and the actual cost paid to be an outside agency by the ALL India Institute of Medical Sciences (AIIMS) Bhopal, for the desired Supply, Installation, Testing and Commissioning of Kitchen Equipment, shall be deducted from the firm's pending bills or Performance Security, as the case maybe.					
5.	The Agency shall be bound by the details furnished by him/her to the AIIMS Bhopal while submitting the tender or at subsequent stage. Upon selection of the Agency, if at any stage, the documents furnished by him/her is found to					

Tender No.: AIIMS Bhopal/EE (C)/Kitchen Eqpt/2014-15/01Dated 06.11.2014

be false or the quality of the articles or quality found poor/ different Technical Specifications, it would be deemed

to be a breach of terms of contract, the contract shall be cancelled and performance security shall be stand forfeited.

- 6. The rate quoted by the selected Agency, and as approved by the AIIMS Bhopal, shall remain valid throughout the period of contract and the request to increase the rates for any or all items, during the currency of contract, shall not be entertained at any stage.
- 7. The selected Agency shall not be allowed to transfer, assign, pledge or subcontract its rights and liabilities under this contract to any other agency/is without prior written consent of the AIIMS Bhopal. If it is found that the firm has given sub-contract for Supply, Installation, Testing and Commissioning of Kitchen Equipment on the basis of procurement/ supply order, the contract shall stand cancelled & the performance security shall stand forfeited.
- 8. AIIMS Bhopal shall not be responsible for any financial loss or other damaged or injury to any item or person deployed/supplied by the successful bidder in the course of their performing the duties to this office in connection with purchase order/supply order for Supply, Installation, Testing and Commissioning of Kitchen Equipment.
- 9. The Competent Authority of AIIMS Bhopal reserves the right to relax/withdraw any of the terms and conditions mentioned in the tender documents, if doing so is in the interest of the AIIMS Bhopal.
- 10. The rate submitted by the Agency should not be higher than the Govt. Approved /DGS&D Rates at which the Supply, Installation, Testing and Commissioning of Kitchen Equipment are being supplied by it to other Govt. Institutes/Ministries/Departments. If subsequently it is found that the firm has supplied equipment's at higher rates to the AIIMS Bhopal ,the excess amount shall be recovered from the Performance Security and/or from the pending bills of the firm along with a penalty of Rs.1,000/-on firm on such occasion and shall be doubled on subsequent occasions.
- 11. Warranty Declaration: The Bidder/Manufacturer must give on-site THREE YEAR WARRANTY of the equipment's from the date of commissioning and also give the warranty that everything to be supplied by them shall be free from any defects and faults in materials, workmanship and shall be of the highest quality and the equipment's ordered shall be in full conformity with the specifications. If any Manufacturing, Operational defect observed during the warranty period of 36 months, the Bidder shall remove/replace the defect/sub-standard material within 10 working days' time after getting written intimation from concerned Competent Authority of AIIMS Bhopal. In case of not attending the same within stipulated period of 10 days, the deduction of money in accordance to provision given at ESSENTIAL TERMS & CONDITIONS at Clause No.8.
- 12. Quality of Goods and Services: The equipment/product must confirm to the Technical specifications and the specifications of individual items as given in Chapter-3 and of desired quality. The bidder shall guarantee that item delivered to the purchaser are brand new and not refurbished one. Consistency in quality shall be maintained for the entire lot of products offered. All the required quantity of items in schedule of requirement shall be of the same brand and model no. The bidder shall not substitute any internal components or subsystems of the product by similar items of different manufacturers. All the equipment shall be supplied with the relevant interface cables, Peripheral's Setup/Software CDs, and necessary standard accessories. The vendor shall be responsible for the quality of supply. Successful bidder has to past non-removable sticker on all kind of Supply, Installation, Testing and Commissioning of Kitchen Equipment and all kind of Cartridges with details of Tender no., Bidder's name, Address, Contact detail, Service Centre/ help line number and warranty expiry date.
- 13. **Delivery & installation:** Within 35 working days from the date of confirmed purchase Order/Purchase Instruction issued by the Competent Authority of AIIMS Bhopal to AIIMS Bhopal at Saket Nagar, Bhopal-462 024 (MP).
- 14. Any complementary scheme offered by the manufacturer shall be provided to the AIIMS Bhopal with no additional cost.
- 15. The contract shall be for a period of one year from the date of award of contract or as indicated in the letter communicating award of contract to the selected firm(s). The contract may be extendable year to year, subject to maximum period of 3 years, on the same terms and conditions or with some addition/deletion/modification

The AIIMS Bhopal reserves the right to place an order for supply of any items mentioned in the Financial Bid 16. (Chapter-7) or otherwise, to any other firm(s) in emergency/unavoidable situation i.e. auxiliary/ancillary/incidental to "Dictionary meaning" of Supply, Installation, Testing and Commissioning of Kitchen Equipment . THIS AGREEMENT will take effect from _____ day of _____ Two Thousand Thirteen and shall be valid for one year. IN WITNESS WHEREOF both the parties here to have caused their respective common seals to be hereunto affixed / (or have hereunto set their respective hands and seals) the day and year mentioned above in Bhopal in the presence of the witness: For and on behalf of the 'Agency' For and on behalf of the "Director, AIIMS Bhopal" Signature of the authorized Official Signature of the authorized Officer Name of the Official Name of the Officer Stamp / Seal of the 'Agency' SIGNED, SEALED AND DELIVERED By the said By the Said Name

on behalf of the "Director, AIIMS Bhopal"

Witness:

Address:

in presence of

mutually agreed upon by the successful Supply, Installation, Testing and Commissioning of Kitchen Equipment

supplier Agency and the All India Institute of Medical Sciences (AIIMS) Bhopal.

Name

on behalf of the 'Agency'

Witness:_____

Address:_____

in presence of

То,		itute of Med	lical Sciences (AIIMS) BI 2 024 (MP) INDIA	nopal		
WHER	EAS			(Name and	l address of the suppl	lier) (Hereinafter called "th
supplie		has	undertaken,	in	pursuance	
			ter called "the Supplier"			to supply (description
by a s obligated AND W NOW Tof your fi sum or reass	cheduled comions in accord /HEREAS we have the control of the con	amercial ban lance with the ave agreed the enereby affictions amand declarathe limits of demand or the	k recognised by you for the contract; to give the supplier such that we are guarante (Amount of the guaranting the supplier to be in (amount of guarantee) the sum specified therein of your demanding the same same sum specified therein of your demanding the same same same same same same same sam	a bank guarar ors and respon ntee in words n default undo as aforesaid,	ecified therein as secunitee; usible to you, on behalf and figures), and we er the contract and wi without your needing the supplier before presented.	sh you with a bank guaranted urity for compliance with it for the supplier, up to a total undertake to pay you, upon thout cavil or argument, and to prove or to show ground esenting us with the demand
under	or of any of th	ne contract d		e made betwe	en you and the supplie	ntract to be performed ther er shall in any way release u ion or modification.
_	arantee shall	•	to 39 (Thirty Nine) mont	hs from the da	·	ate) valid up t
				(Signat	ture with date of the a	uthorised officer of the Bank
						and designation of the office

Format of Performance Bank Guarantee

(To be made on Rs 100.00 Non Judicial Stamp/E Stamp Paper)

.....

Seal, name & address of the Bank and address of the Branch

<u>Chapter – 7</u> Financial Bid

Supply, Installation, Testing and Commissioning of Kitchen Equipments at AIIMS Bhopal, Saket Nagar, Bhopal-462 024. The price bid should be kept in separate sealed envelope superscripting "Financial Bid for Tender No.: AIIMS Bhopal/EE(C)/Kitchen Eqpt/2014-15/Dated: 6.11.14

*AIIMS Bhopal authorities reserve the full rights to increase/decrease the quantity of items on the time of award of tender as per its actual requirement. The quantities mentioned below in this tender against each item are only indicative/tentative nature.

Item number- 1 Price bid form.

1	2	3	4	5	6	7	8
Sr. No.	Description/Technical Specification	Qty.	Unit	Basic Cost per Unit (in Rs.)	VAT and all other applicable taxes	Total unit Cost including all taxes (FOR Destination) (in Rs.)	Total Cost for Quantity given in Column 3 (including all taxes in Rs.)
1	Storage Bin Width 400×depth 600×hejght 750 mm	One	No				
	PREPARATION AREA						
2	Working Table With sink having width 1600mm ×600×850	One	No				
3	Wall Shelf Width 2200× depth 300 mm nade of 18 gauge	One	No				
4	Vegetable Cutter Size with width 300 mmx 380 mmx 330 mm	One	No				
5	Work table with 2U/S Size width 1650 mm × 600 ×850 mm made of 16 gauge	One	No				
6	Work table with 2U/cross bracing Size width 1350 mm ×450 mm×850 mm made of 16 gauge	One	No				
7	Wall Shelf Size width 1200× 300 mm made of 18 gauge	One	No.				
8	Pulveriser of 3 HP	One	No				
	DISH WASH AREA						
9	Dish Lamding Table W/ Garbage Chute	One	No.				

	conscitu 417 l tro				
124	capacity 417 Ltrs.		.		
24	Over Head Shelf with Food warmer	One	No		
	Size 1795mm width×300 mm depth× 650mm height made				
	of two 18 gauge		ļ.,		
25	Under counter Refrigerator	One	No		
	Size 1795mm width×700 mm depth×860 mm height made				
	of 16 gauge				
26	Over Head shelf	One	No.		
	Size 1795 mm ×300 mm depth ×600 mm height made of				
	one 18 gauge				
27	Combi Oven With Stand	One	No.		
	Size 847 mm width×771 mm depth×757 mm				
28	Work Table with U/S	One	No.		
	Size 1200 mm width ×850 mm depth × 850 mm + 150 mm				
	height having 150 mm high rear & right splash. 16 gauge				
29	Two door Freezer	Two	No		
	Size 740mm width× 830mm depth× 2010mm height of				
	capacity 610 Lrts				
30	Hand Wash	One	No.		
	Size 500mm width× 450mm depth × 200 mm + 150 mm				
24	height of 18 gauge				
31	PANTARY AREA	One	No.		
	Beverage Table with sink & trough of size 1800 mm width				
	× 700 mm depth × 850 mm height + 150 mm made of 16				
22	gauge		ļ		
32	Wall Shelf	One	No.		
22	Size 1800 mm width×300 mm depth of 18 Gauge				
33	Two Group Coffee Machine with grinder	One	No		
	Size 570 mm width×510 mm depth × 495 mm height.				
34	Milk Water Boiler	One	No		
35	Under Counter Prep	One	No.		
1	Size 1365 mm width× 700 mm depth×900mm height of				
	capacity 240 ltrs of 16 gauge				
36	Hot & Cold Bain Mariewith front curve glass	One	No		
	Size 2100mm width \times 700 mm depth \times 850 mm height of				
	16 gauge				

37	Microwave Oven	One	No			
38	Mobile Bussing Cart	One	No			
39	Cold Display Counter	One	No			
40	Providing & fixing in position Exhaust Hood Size 3750x2100x500 mm	ONE	NO			
41	Providing and fixing in position Exhaust Hood Size 1000x1000x500 mm	ONE	NO			
42	Providing and fixing in position Exhaust Hood Size 900x900x500 mm	One	No			
43	Providing and fixing in position LPG GAS ERW Pipe Line	25 MTS	Mts.			
44	Exhaust Duct	37.50	Sq m.			
45	SS Drain with jail size wide 300 mm x 40 mm deep vertical edge duly grove to receive slotted design 12 x 200 mm covers 16 swg ss sheet.	10.00	Mts.			
Grand total of total items inclusive of all taxes etc.						

Seal and signature of bidder	Dated
seai allu sigliature di biudei	Dateu

L1 for Items from 1 to 44 will be single manufacturer i.e. Grand Total for Item No 1to 44 (see above chapter-7), bidder has to quote all items otherwise bidder will be treated as rejected.

The Technical Bid & Financial Bid should be kept in two separate sealed envelope superscripting with "Technical Bid for Supply, Installation, Testing and Commissioning of Kitchen Equipment for AIIMS Bhopal' and "Financial Bid for Supply, Installation, Testing and Commissioning of Kitchen Equipment for AIIMS Bhopal' otherwise the Tenderer bid will be rejected.